Author Index

Abbas, A., Chard, T. & Nicolaides, K. Fetal and maternal hCG concentration in aneuploid pregnancies 561
Abdalla, M. *See* Glazener, C. M. A.
Abramovici, H. *See* Bornstein, J.
Achiron, R. *See* Carp, H. J. A.
van Acker, B. A. C. *See* Douma, C. E.
Adams, E. J. *See* Preston, J. T.
Adams, V. *See* Baker, P. N.
Adashek, J. A. *See* Iriye, B. K.
d'Agata, A. *See* Biagiotti, R.
Åkerlund, M. *See* Bossmar, T.
Akkad, A. *See* Habiba, M.
Al-Sebai, M. A. H., Kingsland, C. R., Diver, M., Hipkin, L. & McFadyen, I. R. The role of a single progesterone measurement in the diagnosis of early pregnancy failure and the prognosis of fetal viability 364
Al-Azzawi, F. *See* Habiba, M.
Alberman, E., Mutton, D., Ide, R., Nicholson, A. & Bobrow, M. Down's syndrome births and pregnancy termmations in 1989 to 1993: preliminary findings 445
Alcalay, M., Monga, A. & Stanton, S. L. Burch colposuspension: a 1020 year follow up 740
Aldrich, C. J., D'Antona, D., Spencer, J. A. D., Wyatt, J. S., Peebles, D. M., Delpy, D. T. & Reynolds, E. O. R. Late fetal heart decelerations and changes in cerebral oxygenation during the first stage of labour 9
Aldrich, C. J., D'Antona, D., Spencer. J. A. D., Wyatt, J. S., Peebles, D. M., Delpy, D. T. & Reynolds, E. O. R. The effect of maternal posture on fetal cerebral oxygenation during labour 14
Aldrich, C. J., d'Antona, D., Spencer, J. A. D., Wyatt, J. S., Peebles, D. M., Delpy, D. T. & Reynolds, E. O. R. The effect of maternal pushing on fetal cerebral oxygenation and blood volume during the second stage of labour 448
Alfirevic, Z. & Neilson, J. P. Correspondence. Laparoscopic vaginal hysterectomy versus abdominal hysterectomy 511
Alfirevic, Z. & Walkinshaw, S. A. A randomised controlled trial of simple compared with complex antenatal fetal monitoring after 42 weeks of gestation 638
Amarin, Z. O. & Harlow, R. A. Correspondence. Conserving the cervix at hysterectomy 78
Andersson, K. *See* Edlund, M.
D'Antona, D. *See* Aldrich, C. J.
Arayomi, J. O. & Pereira, E. D. Correspondence. Expectant management of twin pregnancy with single fetal death 842
Arduini, D. *See* Rizzo, G.
Arnot, M. *See* Stanley, K.
Arthur, I. *See* Aston, K.
Aston, K., Arthur, I., Masson, G. M. & Jenkins, J. M. Progestogen therapy and prevention of functional ovarian cysts during pituitary desensitisation with GnRH agonists 835
Asrat, T. *See* Iriye, B. K.
Åstedt, B. *See* Edlund, M.
van Asten, H. A. G. H. *See* Walraven, G. E. L.
Auld, B. J. & Raju, K. S. Correspondence. Authors' reply. Laparoscopic vaginal hysterectomy versus abdominal hysterectomy 511
Austgulen, R. *See* Vince, G. S.
Avrech, O. *See* Herman, A.
Aynsley-Green, A. *See* Byrne, B. M.

Baglioni, S. *See* Giurati, G.
Baird, D. T. *See* Thong, K. J.
Baker, P. N., Johnson, I. R., Gowland, P. A., Hykin, J., Adams, V., Mansfield, P. & Worthington, B. S. Measurement of fetal liver, brain and placental volumes with echo-planar magnetic resonance imaging 35
Baker, P. *See* Morgan, L.
Bala, R. & Oates, S. Correspondence. Outpatient vulval biopsya note of caution 1019
Baldwin, J. M. Report of a RCOG Meeting: 30 November, 1994. Ethics in obstetrics and gynaecology: from theory to practice 501
Balen, A. Correspondence. Minimal compliance with the Department of Health recommendation for routine folate prophylaxis to prevent fetal neural tube defects 171
Balen, A. *See* Brinsden, P. R.
Bancroft, K. *See* Collins, T.
Bar-David, J. *See* Mazor, M.
Barker, G. H. Correspondence. A classical dilemma 758
Barker, F. G. *See* Brosens, J. J.
Barrett, K. *See* Gonik, B.
Barry, J. *See* Macklon, N. S.
Baxter, T. *See* Parry, E.
Beard, R. W. & Siddall-Allum, J. Correspondence. Authors' reply. Chronic pelvic pain caused by residual ovaries and ovarian remnants 935
Beattie, R. B. Correspondence. Author's reply. Practical assessment of neonatal nutrition status beyond birthweight: an imperative for the 1990s 673
Beckley, S. *See* Keith, R. D. F.
Beech, B. A. & Robinson, J. Correspondence. Local research ethics committees: hindrance or help? 842
Beevers, D. G. *See* Perry, I. J.
Bendixen, K. D. Historical representations of the pelvis 442
Benos, P. *See* Laffargue, F.
van den Berg, M. P. & Hage, J. J. Correspondence. Graft versus flap: reaction of a plastic surgeon 429
Bernaschek, G. *See* Lee, A.
Bernhardt, L. W. *See* Sanusi, F. A.
Bersinger, N. A. *See* Brizot, M. L.
Bertalero, C., *See* Zanetta, G.
Best, J. M. *See* Cason, J.
Bevan, C. D., Johal, B. J., Mumtaz, G., Ridgway, G. L. & Siddle, N. C. Clinical, laparoscopic and microbiological findings in acute salpingitis: report on a United Kingdom cohort 407
Bewley, S. *See* Roberts, L. J.
Bewley, S., Roberts, L. J., Mackinson, A-M. & Rodeck, C. H. First trimester fetal nuchal translucency: problems with screening the general population 2. 386
Biagiotti, R., Cariati, E., Brizzi, L. & d'Agata, A. Maternal serum screening for Down's syndrome in the first trimester of pregnancy 660
Bianchi, S. *See* Fedele, L.
Bigrigg, A. Report of a RCOG Meeting: 2 November, 1994. Pelvic infection 424
Biljan, M. M., Taylor, C. T., Gosden, C. M., Jones, S. V., Malone, C. G. & Kingsland, C. R. How acute is the acute shortage of oocyte donors in the UK? Results of a British National Survey 746
Black, A. Clarke, N., Rowe, P., Mott, S. & Howle, K Indications for and outcome of total abdominal hysterectomy for benign disease: a prospective cohort study 611
Blair Bell Research Society: Abstracts. Papers presented at Milton Keynes, 12 September, 1994 573
Blair Bell Research Society: Abstracts. Abstracts of papers presented at a meeting of the Blair Bell Research Society held at the RCOG, February 3 1995 997
Bloch, B. *See* Denny, L. A.
Bloemenkamp, K. W. M. *See* Oei, S. G.
Bobrow, M. *See* Alberman, E.
Boer, K. *See* Douma, C. E.
van Bolhuis, C. *See* Hol, M.
Bornstein, J., Zarfati, D., Goldik, Z. & Abramovici, H. Perineoplasty compared with vestibuloplasty for severe vulvar vestibulitis 652
Bose, C. K. & Bose, B. Correspondence. Clustering of perinatal markers of birth asphyxia and outcome at age five years 505
Bose, B. *See* Bose, C. K.
Bossmar, T., Åkerlund, M., Szamatowicz, J., Laudanski, T., Fantoni, G. & Maggi, M. Receptor-mediated uterine effects of vasopressin and oxytocin in nonpregnant women 907
Botchan, A. *See* Daniel, Y.
Boulot, P. *See* Laffargue, F.
Bournas, N. *See* Curtis, P.
Bournas, N. *See* Magos, A.
Bower, S. *See* Leung, K. Y.
Bowman, A. W. *See* Macara, L.
Braithwaite, J. M. & Economides, D. L. Correspondence. First trimester fetal nuchal translucency: problems with screening the general population 1 & 2 1018
Bratina, G. *See* Zanetta, G.
Breitenecker, G. *See* Kainz, C.
Brenan, J. *See* O'Keefe, R. J.
Brennand, J. E. *See* Carbonne, B.
Brennecke, S. P. *See* Humphrey, K. E.
Brettle, R. *See* Johnstone, F. D.

Bridges, J. *See* Thomas, E. J.
Brincat, M. P. Correspondence. Author's reply. Chaos theory in obstetrics and gynaecology 589
Brink Henriksen, T., Hedegaard, M., Secher, N. J. & Wilcox, A. J. Correspondence. Authors' reply. Standing at work and preterm delivery 937
Brink Henriksen, T., Hedegaard, M., Secher, N. J. & Wilcox, A. J. Standing at work and preterm delivery 198
Brinsden, P. R., Wada, I., Tan, S. L., Balen, A. & Jacobs, H. S. Diagnosis, prevention and management of ovarian hyperstimulation syndrome 767
British Gynaecological Cancer Society: Abstracts. Papers presented at the Royal College of Obstetricians and Gynaecologists, London, 29 October 1994 339
Britton, D. T. Correspondence. Authors' reply. Mouth-operated mucus extractors: safe to use? 261
Brizot, M. L., Kuhn, P., Bersinger, N. A., Snijders, R. J. M. & Nicolaides, K. H. First trimester maternal serum alpha-fetoprotein in fetal trisomies 31
Brizot, M. L. *See* Nicolaides, K. H.
Brizot, M. L. *See* Pandya, P. P.
Brizot, M. L., Snijders, R. J. M., Butler, J., Bersinger, N. A. & Nicolaides, K. H. Maternal serum hCG and fetal nuchal translucency thickness for the prediction of fetal trisomies in the first trimester of pregnancy 127
Brizzi, L. *See* Biagiotti, R.
Broadbent, J. A. M. & Magos, A. L. Correspondence. Endometrial resection follow up: late onset of pain and the effect of depot medroxyprogesterone acetate 587
Brocklehurst, P. Correspondence. A population-based, controlled study of the relation between HIV infection and cervical dysplasia 589
Brocklehurst, P., Carney, O., Ross, E. & Mindel, A. The management of recurrent genital herpes infection in pregnancy: a postal survey of obstetric practice 791
van den Broek, N. *See* Fiander, A.
Brosens, J. J., de Souza, N. M., Barker, F. G., Paraschos, T. & Winston, R. M. L. Endovaginal ultrasonography in the diagnosis of adenomyosis uteri: identifying the predictive characteristics 471
Brown, A. StJ. M. *See* Roberts, M.
Browning, J. & Chissell, S. Correspondence. Conserving the cervix at hysterectomy 263
Browning, A. J. F. Report of a RCOG Meeting: 3 November, 1994. Pelvic pain 580
Bruce, C. *See* Stanley, K.
Buckley, C. H. *See* Leeson, S. C.
Buckley, N. A. *See* Smith, A. J.
Buekens, P. *See* Haelterman, E.
Bukovsky, Y. *See* Herman, A.
Bull, A. & Lyons, C. Correspondence. Authors' reply. Purchasing (and rationing) an in vitro fertilisation service 427
Bulstra-Ramakers, M. T. E. W., Huisjes, H. J. & Visser, G. H. A. The effects of 3g eicosapentaenoic acid daily on recurrence of intrauterine growth retardation and pregnancy induced hypertension 123
Burch, D. *See* Burch, K.
Burch, D. J., Spowart, K. J. M., Jesinger, D. K., Randall, S. & Smith, S. K. A dose–ranging study of the use of cyclical dydrogesterone with continuous 17β oestradiol 243
Burch, K. & Burch, D. Correspondence. The interpretation of midstream urine microscopy and culture results in women who present acutely to the labour ward 507
Burton, G. J. & Jauniaux, E. Sonographic, stereological and Doppler flow velocimetric assessments of placental maturity 818
Busacca, M. *See* Fedele, L.
Butler, J. *See* Brizot, M. L.
Byrne, B. M., Gillmer, M. D., Turner, R. C. & Aynsley-Green, A. Glucose homeostasis in adulthood and in pregnancy in a patient with hepatic glycogen synthetase deficiency 931
Byrne, D. L., Penna, L., Marks, K. & Offley-Shore, B. First trimester amnifiltration: technical, cytogenetic and pregnancy outcome of 104 consecutive procedures 220
Byrne, P. *See* Hickey, K.
Byrne, P. *See* Higgins, J. R.

Cabrol, D. *See* Carbonne, B.
Calder, A. A. *See* Carbonne, B.
Calman, K. Commentary. Hospital doctors: training for the future 354
Calvert, S. M. & Rand, R. J. A successful pregnancy in a patient with homocystinuria and a previous near-fatal postpartum cavernous sinus thrombosis 751
Cameron, I. T. *See* Preston, J. T.
Campbell, D. M. *See* Cruickshank, M. E.
Campbell, S. *See* Chervenak, F. A.
Capponi, A. *See* Rizzo, G.
Capuzzo, E. *See* Spinillo, A.
Carbonne, B., Brennand, J. E., Maria, B., Cabrol, D. & Calder, A. A. Effects of gemeprost and mifepristone on the mechanical properties of the cervix prior to first trimester termination of pregnancy 553
Cariati, E. *See* Biagiotti, R.
Carney, O. *See* Brocklehurst, P.
Carp, H. J. A., Achiron, R., Toder, V. & Mashiach, S. Correspondence. Intravenous immunoglobin in the prevention of recurrent miscarriage 509
Carr, M. H. *See* Iriye, B. K.
Cason, J., Kaye, J. N., Best, J. M. & Raju, K. S. Correspondence. Authors' reply. Cancer associated human papillomaviruses: perinatal transmission and persistence 583
Caspani, L. *See* Giurati, G.
Castelbaum, A. J. *See* Lessey, B. A.
Castilla, E. E., Cavalcanti, D. P., Dutra, M. G., Lopez-Camelo, J. S., Paz, J. E. & Gadow, E. C. Limb reduction defects in South America 393
Cavalcanti, D. P. *See* Castilla, E. E.
Cawood, P. *See* Duncan, W. C.
Cha, S., *See* Zanetta, G.
Chadha-Ajwani, S. *See* ter Haar-van Eck, S. A.
Chaim, W. *See* Mazor, M.
Chan, A., Robertson, E. F., Haan, E. A., Ranieri, E. & Keane, R. J. The sensitivity of ultrasound and serum alpha-fetoprotein in population-based antenatal screening for neural tube defects, South Australia 19861991 370
Chang, A. M. Z. *See* Chung, T. K. H.
Chang, A. M. Z. *See* Yuen, P. M.
Chan, F. Y., Chau, M. T., Pun, T. C., Lam, C., Ngan, H. Y. S. & Wong, R. L. C. A comparison of colour Doppler sonography and the pelvic arteriogram in assessment of patients with gestational trophoblastic disease 720
Chan, G. C. P. & Wilson, A. M. Correspondence. Complications of the use of corticosteroids for the treatment of hyperemesis gravidarum 507
Chan, K. K. *See* Kehoe, S.
Chan, N. S. T. *See* Yuen, P. M.
Chard, T. *See* Abbas, A.
Chard, T. *See* Crawford, R. A. F.
Chard, T. *See* Harding, S.
Chard, T. *See* Macintosh, M. C. M.
Chattopadhyay, S. K. Correspondence. Author's reply. Planned vaginal delivery after two previous caesarean sections 263
Chau, M. T. *See* Chan, F. Y.
Chen, C-D. *See* Lin, H-H.
Chen, C-K. *See* Lin, H-H.
Chen, C-L. *See* Lin, H-H.
Chenoy, R. *See* Pradhan, S.
Chervenak, F. A., McCullough, L. B. & Campbell, S. Commentary. Is third trimester abortion justified? 434
Cheung, L. P. *See* Chung, T. K. H.
Cheyne, H., Turnbull, D., Lunan, C. B., Reid, M. & Greer, I. A. Working alongside a midwife-led care unit: what do obstetricians think? 485
Chia, P. *See* Versi, E.
Chilton, C. P. *See* Patterson, J. E.
Chilvers, C. E. D. *See* Wilcox, M. A.
Chin, K. A. J., Kaseba, C. M. & Weaver, J. B. Mallory–Weiss syndrome complicating pregnancy in a patient with scleroderma: diagnosis and management 498
Chin, Y. K. & Stanton, S. L. A follow up of silastic sling for genuine stress incontinence 143
Chissell, S. & Fox, R. Correspondence. Oophorectomy at the same time as hysterectomy 583
Chissell, S. *See* Browning, J.
Chow, S-N. *See* Lin, H-H.
Chow, T. W. P., Nwosu, E. C., Gould, D. A. & Richmond, D. H. Pregnancy following successful embolisation of a uterine vascular malformation 166
Chung, T. K. H., Cheung, L. P., Leung, T. Y., Haines, C. J. & Chang, A. M. Z. Misoprostol in the management of spontaneous abortion 832
Chung, T. K. H., Mohajer, M. P., Yang, Z. J., Chang, A. M. Z. & Sahota, D. S. The prediction of fetal acidosis at birth by computerised analysis of intrapartum cardiotocography 454
Clarke, C. A. & Mittwoch, U. Commentary. Changes in the male to female ratio at different stages of life 677
Clark, J. *See* Heatley, M. K.
CLASP Collaborative Group. Low dose aspirin in pregnancy and early childhood development: follow-up of the collaborative low-dose aspirin study in pregnancy 861
Clow, W. M. Correspondence. Authors' reply. An unusual cause of post-menopausal bleeding and incontinence of urine: primary lymphoma of the vagina 672
Clow, W. M., Joannides, T., Saleem, A. K. N., Melville-Jones, G. R. & Martin, I. An unusual cause of postmenopausal bleeding and incontinence of urine: primary lymphoma of the vagina 164
Colbert, D. L. *See* Farkas, A. G.
Collins, T., Bancroft, K. & Manyonda, I. Correspondence. Ampicillin and metronidazole treatment in preterm labour: a multicentre, randomised trial 267
Cooke, I. D. *See* Jenkins, J. M.
Cooke, R. Commentary. The current use of exogenous surfactants in the newborn 679

Cooke, V. *See* Shennan, A.
Cooper, D. W. *See* Humphrey, K. E.
Corson, S. L. Correspondence. Carbon dioxide embolism following diagnostic hysteroscopy 348
Crawford, R. & Shepherd, J. H. Pelvic extenteration: a review of the Gateshead experience 1974–1992 172
Crawford, R. A. F., Gore, M. E. & Shepherd, J. H. Ovarian cancers related to minimal access surgery 726
Crawford, R. A. F., Hills, F. A., Farkas, A. & Chard, T. Elevated levels of insulin-like growth factor binding protein-1 in fetal distress 538
Crawford, R. A. F., Todd, P., Fisher, C., Lowe, D. G. & Shepherd, J. H. Outpatient vulval biopsy—a note of caution 487
Crichton, C. *See* Purdie, D. W.
Crone, R., Kendra, J. R. & Pickens, S. Postpartum haemolytic uraemic syndrome treated with plasma infusion 69
Crowther, M. E. Communication following a stillbirth or neonatal death: room for improvement 952
Cruickshank, M. E., Flannelly, G., Campbell, D. M. & Kitchener, H. C. Fertility and pregnancy outcome following large loop excision of the cervical transformation zone 467
Cruickshank, M. E. *See* Kitchener, H. C.
Cullen, S. *See* Sepulveda, W.
Curtis, P., Bournas, N. & Magos, A. Simple equipment to facilitate operative laparoscopic surgery 495

Daniel, D. G. *See* Wong, C. Y.
Daniel, Y., Shenhav, M., Botchan, A., Peyser, M. R. & Lessing, J. B. Pregnancy associated with pemphigus 667
David, M. P. *See* Mushkat, Y.
Davies, A. & Magos, A. L. Correspondence. Oophorectomy at the same time as hysterectomy 584
Davison, J. M. *See* Roberts, M.
Dawson, W. G. Correspondence. The management of severe ovarian hyperstimulation syndrome 585
Dehaeck, K. *See* Denny, L. A.
Delpy, D. T. *See* Aldrich, C. J.
Dennerstein, G. *See* O'Keefe, R. J.
Denny, L. A., Soeters, R., Dehaeck, K. & Bloch, B. Does colposcopically directed punch biops. reduce the incidence of negative LLETZ? 545
Derks, J. B., Mulder, E. J. H. & Visser, G. H. A. The effects of maternal betamethasone administration on the fetus 40
Desai, K. *See* Phipps, J. H.
Deuchar, N. Correspondence. Author's reply. Nausea and vomiting in pregnancy: a review of the problem with particular regard to psychological and social aspects 671
Deuchar, N. Nausea and vomiting in pregnancy: a review of the problem with particular regard to psychological and social aspects 6
Deutinger, J. *See* Lee, A.
Diver, M. *See* Al-Sebai, M. A. H.
Dolmans, W. M. V. *See* Walraven, G. E. L.
van Dongen, P. W. J. *See* Walraven, G. E. L.
Dornhorst, A. Correspondence. Author's reply. Implications of gestational diabetes for the future health of the mother 428
Douma, C. E., van der Post, J. A. M., van Acker, B. A. C., Boer, K. & Koopman, M. G. Circadian variation of urinary albumin excretion in pregnancy 107
Downey, G. P. & Luesley, D. M. Correspondence. Cancer associated human papillomavirus perinatal transmission and persistence 265
Draycott, T. *See* Jackson, S.
Drevon, C. A. *See* Lorentzen, B.
Drife, J. O. Correspondence. Author's reply. Conserving the cervix at hysterectomy 78
Duley, L. Correspondence. Hydralazine boluses for the treatment of severe hypertension in pre-eclampsia 83
Duley, L. Correspondence. Hydralazine boluses for the treatment of severe hypertension in pre-eclampsia 585
Duley, L. & Johanson, R. Correspondence. Authors' reply. Magnesium sulphate for pre-eclampsia and eclampsia: the evidence so far 263
Duncan, I. D. *See* Olamijulo, J.
Duncan, I. D. *See* van Wijngaarden, W. J.
Duncan, W. C., Sweeting, V. M., Cawood, P. & Illingworth, P. J. Measurement of creatine kinase activity and diagnosis of ectopic pregnancy 233
Dunn, D. *See* Thorne, C.
Duthie, S. J. & Walkinshaw, S. A. Prenatal diagnosis of extra-amniotic pregnancy 1011
Dutra, M. G. *See* Castilla, E. E.

Eben, F. *See* Perkins, A. V.
Economides, D. L. *See* Braithwaite, J. M.
Edlund, M., Andersson, K., Rybo, G., Lindoff, C., Åstedt, B. & von Schoultz, B. Reduction of menstrual blood loss in women suffering from idiopathic menorrhagia with a novel antifibrinolytic drug (Kabi 2161) 913
El-Refaey, H. *See* Hinshaw, K.
El-Refaey, H. & Templeton, A. Correspondence. Authors' reply. Early abortion induction by a combination of mifepristone and oral misoprostol 506
van der Elst, C. *See* Johanson, R.
Elstein, M. *See* Furniss, H.
Elstein, M. *See* Ralston, D. R.
Empson, J. A. C. *See* Purdie, D. W.
Endresen, M. J. *See* Lorentzen, B.
Englefield, P. *See* Thomas, E. J.
Enzelberger, H., Helmer, H. & Kurz, Ch. Intravesical instillation of oxybutynin in women with idiopathic detrusor instability: a randomised trial 929
Erskine, K. J. *See* Farkas, A. G.
Essed, G. G. *See* Pop, V. J.
Eustace, D. Correspondence. Expression of transforming growth factor-α in the normal cervix and in the benign and malignant lesions of the uterine cervix 83
Ezeh, U. *See* Nathanson, M. H.

Fantoni, G. *See* Bossmar, T.
Farkas, A. *See* Crawford, R. A. F.
Farkas, A. G., Colbert, D. L. & Erskine, K. J. Anonymous testing for drug abuse in an antenatal population 563
Farmery, E. *See* Kitchener, H. C.
Fazzi, E. *See* Spinillo, A.
Fedele, L., Bianchi, S., Tozzi, L., Marchini, M. & Busacca, M. Fertility in women with unicornuate uterus 1007
Ferrara, A. *See* Robichez, B.
Fiander, A. Evaluation of flexible senior registrar training in obstetrics and gynaecology 461
Fiander, A. & van den Broek, N. Correspondence. 27th British Congress of Obstetrics and Gynaecology 1017
Fickling, S. A., Whitley, G. StJ. & Nussey, S. S. Correspondence. The cell adhesion molecule, VCAM-1, is selectively elevated in serum in pre-eclampsia: does this indicate the mechanism of leucocyte activation? 173
Filshie, G. M. Correspondence. Mouth-operated mucus extractors: safe to use? 261
Fischer, A. *See* Fischer, G.
Fisher, C. *See* Crawford, R. A. F.
Fischer, G., Spurrett, B. & Fischer, A. The chronically symptomatic vulva: aetiology and management 773
Fisk, N. M. *See* Ind, T. E. J.
Fisk, N. M. *See* Paterson-Brown, S.
Fisk, N. M. *See* Sepulveda, W.
Fitzgerald, C. *See* Furniss, H.
Flannelly, G. *See* Cruickshank, M. E.
Fletcher, A. Commentary. Dealing with the report of a mild dyskaryotic smear 517
Fog Pedersen, J., Juul, A., Mølsted-Pedersen, L. & Skakkebæk, N. E. Serum levels of insulin-like growth factor-1 in first trimester of diabetic pregnancy: relation to early growth delay 927
Fog Pedersen, J. F. & Mølsted-Pedersen, L. Correspondence. Does early growth delay occur in diabetic pregnancy? 936
Ford, M. Correspondence. The psychological reaction of women to a colopscopy clinic 429
Forss, M. *See* Venesmaa, P.
Foskett, M. *See* Tidy, J. A.
Fox, R. *See* Chissell, S.
Fraser, R. Commentary. Diabetic control in pregnancy and intrauterine growth of the fetus 275
Fraser, R. *See* Stanley, K.
Fraser, S. *See* Hickey, M.
Freeman, R. M. *See* Hughes, G. W.
Fuller, S. *See* Tidy, J. A.
Furniss, H., Sullivan, H., Fitzgerald, C. & Elstein, M. Correspondence. Low dose combined oral contraceptives 590

Gadow, E. C. *See* Castilla, E. E.
Gallagher, L. *See* Smith, A. J.
Gangar, K. *See* Vyas, S.
Garibaldi, J. M. *See* Keith, R. D. F.
Garratt, A. M., Torgerson, D. J., Wyness, J., Hall, M. H. & Reid, D. M. Measuring sexual functioning in premenopausal women 311
Garry, R. & Hercz, P. Initial experience with laparoscopic-assisted Doderlein hysterectomy 307
Gerris, J. *See* Hellemans, P.
de Geus, C. A. *See* Pop, V. J.
Giacalone, P. L. *See* Laffargue, F.
Gibb, D. M. F. & Salaria, D. A. Transabdominal cervicoisthmic cerclage in the management of recurrent second trimester miscarriage and preterm delivery 802
Gillan, J. *See* Hickey, K.
Gillmer, M. D. *See* Byrne, B. M.
Gitsch, G. *See* Kainz, C.

Giurati, G., Zanetta, G., Caspani, L., Landoni, F., Pellegrino, A., Baglioni, S. & Mangioni, C. Autologous blood transfusion in patients undergoing radical hysterectomy 64
Glazener, C. M. A., Abdalla, M., Naji, P. Stroud S., Templeton, A. & Russell, I. T. Postnatal maternal morbidity: extent, causes, prevention and treatment 282
Gleeson, N. C. A modification of the Cherney incision in gynaecological oncology surgery 925
Glezerman, M. *See* Mazor, M.
Goldik, Z. *See* Bornstein, J.
Gonik, B. & Barrett, K. Commentary. The persistence of newborn circumcision: an American perspective 940
Gonser, M. & Kahle, P. Correspondence. Chaos theory in obstetrics and gynaecology 588
Goorissen, E. *See* Korver, T.
Gordon, A. Commentary. Why do we still circumcise male babies? 939
Gordon, H. *See* McCaffrey, M.
Gore, M. E. *See* Crawford, R. A. F.
Gorton, E. Correspondence. Caesarean hysterectomy for intrauterine death after failed endometrial resection 347
Gosden, C. M. *See* Biljan, M. M.
Gould, D. A. *See* Chow, T. W. P.
Gowland, P. A. *See* Baker, P. N.
Grant, J. M. Commentary. Randomised trials and the British Journal of Obstetrics and Gynaecology. Minimum requirements for publication 849
Grant, J. M. Correspondence. Author's reply. Induction of labour confers benefits in prolonged pregnancy 80
Grant, J. M. Editorial. Back on course 433
Grant, J. M. Editorial. We're off to Vancouver 102(12) iii
Gredmark, T., Kvint, S., Havel, G. & Mattsson, L.-Å. Histopathological findings in women with postmenopausal bleeding 133
Green, J. M. Obstetricians' views on prenatal diagnosis and termination of pregnancy: 1980 compared with 1993 228
Greene, K. R. *See* Keith, R. D. F.
Greenwood, C. *See* Odibo, A. O.
Greer, I. A. *See* Cheyne, H.
Greer, I. A. *See* Lyall, F.
Greer, I. A. *See* Macara, L.
Greer, I. A. *See* Macklon, N. S.
Griffiths, M. *See* Odibo, A.
Griffiths, M. Correspondence. Dilatation and curettage in patients with cervical polyps: a retrospective analysis 1018
Guillebaud, J. Commentary. After Cairo 436
Guillebaud, J. *See* Korver, T.

Haan, E. A. *See* Chan, A.
ter Haar-van Eck, S. A., Rischen-Vos, J., Chadha-Ajwani, S. & Huikeshoven, F. J. M. The incidence of cervical intraepithelial neoplasia among women with renal transplant in relation to cyclosporine 58
Habiba, M., Akkad, A. & Al-Azzawi, F. Correspondence. The role of pipelle endometrial biopsy in patients with postmenopausal bleeding 262
Habiba, M., Akkad, A. & Al-Azzawi, F. Correspondence. Dilatation and curettage in patients with cervical polyps: a retrospective analysis 1018
Hackett, G. A. *See* Morrison, J. J.
Haelterman, E., Haelterman, M. & Buekens, P. Correspondence. Chaos theory in obstetrics and gynaecology 588
Haelterman, M. *See* Haelterman, E.
Hage, J. J. Correspondence. The use of a tissue expander as a vaginal stent in vaginal reconstruction 1020
Hage, J. J. *See* van den Berg, M. P.
Haines, C. J. *See* Chung, T. K. H.
Hale, R. J. *See* Leeson, S. C.
Hall, M. H. *See* Garratt, A. M.
Halligan, A. W. F., Shennan, A. H. & de Swiet, M. Correspondence. Definition of pre-eclampsia 264
Hamilton, R. J., O'Brien, P. M. S., Wickramasinghe, Y. A. B. D. & Rolfe, P. Intrapartum fetal cerebral near infrared spectroscopy: apparent change in oxygenation demonstrated in a nonviable fetus 1004
Hamilton-Fairley, D. *See* Wilkinson, C.
Hansen, J. *See* Macintosh, M. C. M.
Harding, S., Kyei Mensah, A., Hills, F., Howell, R. J. S. & Chard, T. Lack of evidence for a circadian rhythm of IGFBP-1 in the mother and fetus during labour 891
Hare, A. A. *See* Roman, J. D.
Harlow, R. A. *See* Amarin, Z. O.
Harrison, G. A. *See* Humphrey, K. E.
Harry, T. C. Correspondence. Repair of rectovaginal fistual with traction in a HIV positive patient 586
Harvey, D. *See* Michie, C. A.
Harvey D. *See* Lavery, S.
Havel, G. *See* Gredmark, T.
Heatley, M. K. & Clark, J. The value of histopathological examination of conceptual products 256
Hedegaard, M. *See* Brink Henriksen, T.
Hedon, B. *See* Laffargue, F.
Heinzl, H. *See* Kainz, C.
Hellemans, P., Gerris, J. & Verdonk, P. Fetal fibronectin detection for prediction of preterm birth in low risk women 207
Helm, P. *See* Schmidt, L.
Helmer, H. *See* Enzelberger, H.
Helmerhorst, F. M. *See* Oei, S. G.
Henriksen, T. *See* Lorentzen, B.
Herbison, P. & Wilson, D. Correspondence. Implications of gestational diabetes for the future health of the mother 427
Hercz, P. *See* Garry, R.
Herman, A., Weinraub, Z., Avrech, O., Maymon, R., Ron-El, R. & Bukovsky, Y. Follow up and outcome of isthmic pregnancy located in a previous caesarean section scar 839
Hiadzi, E. & O'Connor, R. A. Correspondence. A multicentre randomised trial of amniotomy in spontaneous first labour at term 267
Hickey, K. & Byrne, P. Correspondence. Planned abdominal compared with planned vaginal birth in triplet pregnancies 937
Hickey, K. & Gillan, J. Correspondence. Should perinatal postmortems be carried out by specialist pathologists 757
Hickey, M. & Fraser, S. Correspondence. Conserving the cervix at hysterectomy 77
Higgins, J. R. & Byrne, P. Correspondence. The definition of pre-eclampsia 586
Hillier, S. G. *See* Steel, J. M.
Hills, F. *See* Harding, S.
Hills, F. A. *See* Crawford, R. A. F.
Hinshaw, H. K. S. Correspondence. Fetal nuchal translucency: ultrasound screening for fetal trisomy in the first trimester of pregnancy 758
Hinshaw, K., El-Refaey, H., Rispin, R. & Templeton, A. Mid-trimester termination for fetal abnormality: advantages of a new regimen using mifepristone and misoprostol 559
Hipkin, L. *See* Al-Sebai, M. A. H.
Hjartardottir, H. *See* Onwude, J. L.
Ho, P. C., Tsang, S. S. K. & Ma, H. K. Reducing the induction to abortion interval in termination of second trimester pregnancies: a comparison of mifepristone with laminaria tent 648
Hol, M., van Bolhuis, C. & Vierhout, M. E. Vaginal ultrasound studies of bladder neck mobility 47
Holland, E. F. N., Leather, A. T. & Studd, J. W. W. Increase in bone mass of older postmenopausal women with low mineral bone density after one year of percutaneous oestradiol implants 238
Holland, E. F. N. *See* Smith, R. N. J.
Hollingsworth, J. *See* Sepulveda, W.
Hopkisson, J. *See* Kennedy, S.
Horsman, A. *See* Turnbull, L. W.
Howard, R. J., Tuck, S. M. & Pearson, T. C. Pregnancy in sickle cell disease in the UK: results of a multicentre survey of the effect of prophylactic blood transfusion on maternal and fetal outcome 947
Howe, D. T., Wheeler, T. & Osmond, C. The influence of maternal haemoglobin and ferritin on mid-pregnancy placental volume 213
Howell, R. J. S. *See* Harding, S.
Howle, K *See* Black, A. Clarke, N.
Huang, S-C. *See* Lin, H-H.
Hudson, C. N., Slevin, M. L. & Tebbutt, H. Successful pregnancy after treatment of stage III bilateral ovarian dysgerminoma 1015
Hughes, G. W. & Freeman, R. M. A modification of the technique of sacrospinous ligament fixation 669
Hughes J. H. *See* Reginald, P. W.
Hughes, P. *See* Ryan, C. A.
Huikeshoven, F. J. M. *See* ter Haar-van Eck, S. A.
Huisjes, H. J. *See* Bulstra-Ramakers, M. T. E. W.
Hull, M. Complications of pregnancy after infertility treatment: awareness and prevention 520
Humphrey, K. E., Harrison, G. A., Cooper, D. W., Wilton, A. N., Brennecke, S. P. & Trudinger, B. J. HLA-G deletion polymorphism and pre-eclampsia/eclampsia 707
Husa, L-M. *See* Tiitinen, A.
Hussain, J. Correspondence. Maternal health in the developing world: how can the RCOG contribute? 1017
Hussain, K. A. *See* van Wijngaarden, W. J.
Hussein, S. Y. Report of a RCOG Meeting: 18–19 October 1994. Colposcopy 336
Hykin, J. *See* Baker, P. N.

Ide, R. *See* Alberman, E.
Ifeachor, E. C. *See* Keith, R. D. F.
Iguchi, T. *See* Kudo, Y.
Illingworth, P. J. *See* Duncan, W. C.
Ind, T. E. J. & Fisk, N. M. Correspondence. Fetal nuchal translucency: ultrasound screening for fetal trisomy in the first trimester of pregnancy 758
Ingemarsson, I. *See* Nordström, L.
Iriye, B. K., Asrat, T., Adashek, J. A. & Carr, M. H. Intraventricular

haemorrhage and maternal brain death associated with antepartum cocaine abuse 68
Itatsu, S. *See* Kudo, Y.
Iwashita, M., *See* Kudo, Y.

Jackson, S., Draycott, T. & Read, M. Correspondence. Laparoscopic vaginal hysterectomy versus abdominal hysterectomy 511
Jacobs, H. S. *See* Brinsden, P. R.
Jacobs, H. S. *See* Soule, S. G.
James, D. *See* Vindla, S.
James, O. F. W. *See* Roberts, M.
Jankowska, A. *See* McCaffrey, M.
Jaquire, Z. *See* Johanson, R.
Jarvis, G. J. Correspondence. Author's reply. Surgery for genuine stress incontinence 81
Jauniaux, E. *See* Burton, G. J.
Jedwab, G. A. *See* Mushkat, Y.
Jenkins, J. M. Correspondence. In vitro fertilisation and gamete intrafallopian transfer: an integrative analysis of research 1987–1992 844
Jenkins, J. M. & Mathur, R. S. Correspondence. The management of severe ovarian hyperstimulation syndrome 935
Jenkins, J. M., Mathur, R. S. & Cooke, I. D. Commentary. The management of severe ovarian hyperstimulation syndrome 2
Jenkins, J. M. *See* Aston, K.
Jensen, C. E., Tuck, S. M. & Wonke, B. Fertility in β thalassaemia major: a report of 16 pregnancies, preconceptual evaluation and a review of the literature 625
Jesinger, D. K. *See* Burch, D. J.
Joannides, T. *See* Clow, W. M.
Joensen, H. D. *See* Olsen, S. F.
Johal, B. J. *See* Bevan, C. D.
Johanson, R., Lindow, S. W., van der Elst, C., Jaquire, Z., van der Westhuizen, S. & Tucker, A. A prospective randomised comparison of the effect of continuous O_2 therapy and bedrest on fetuses with absent end-diastolic flow on umbilical artery Doppler waveform analysis 662
Johanson, R. *See* Duley, L.
Johnson, I. *See* Wilcox, M.
Johnson, I. R. *See* Baker, P. N.
Johnson, I. R. *See* Wilcox, M. A.
Johnson, M. R. *See* Ramsay, B.
Johnson, N. *See* McNamara, H.
Johnson, S. P. *See* Pandya, P. P.
Johnstone, F. D., McGoogan, E., Smart, G., Brettle, R. & Prescott, R. Correspondence. Authors' reply. A population-based, controlled study of the relation between HIV infection and cervical dysplasia 590
Johnstone, F. D. *See* Steel, J. M.
Jones, D. Report of a RCOG Meeting: 21–22 June, 1994. Report of the meeting on infertility, Edinburgh, 1994 73
Jones, R. W. Commentary. The natural history of vulvar intraepithelial neoplasia 764
Jones, R. W. *See* Sadler, L. C.
Jones, S. V. *See* Biljan, M. M.
De Jong, P. Correspondence. Authors' reply. Carbon dioxide embolism following diagnostic hysteroscopy 349
Jorens, P. G. *See* de Maeyer, J.
Juul, A. *See* Fog Pedersen, J.

Kahle, P. *See* Gonser, M.
Kainz, C., Gitsch, G., Heinzl, H. & Breitenecker, G. Incidence of cervical smears indicating dysplasia among Austrian women during the 1980s 541
Kalsheker, N. *See* Morgan, L.
Kaseba, C. M. *See* Chin, K. A. J.
Kaufman, M. H. Caesarean operations performed in Edinburgh during the 18th century 186
Kaufmann, P. *See* Macara, L.
Kaye, J. N., *See* Cason, J.
Keane, R. J. *See* Chan, A.
Kehoe, S., Ward, K., Luesley, D. & Chan, K. K. The application of flow cytometric DNA analysis in detecting the presence of malignant cells in ovarian carcinoma peritoneal fluids 656
Keirse, M. J. N. C. *See* Oei, S. G.
Keirse, M. J. N. C. *See* Wildschut, H. I. J.
Keith, R. D. F., Beckley, S., Garibaldi, J. M., Westgate, J. A., Ifeachor, E. C. & Greene, K. R. A multicentre comparative study of 17 experts and an intelligent computer system for managing labour using the cardiotocogram 688
Kendra, J. R. *See* Crone, R.
Kennedy, S. & Hopkisson, J. Correspondence. Authors' reply. Caesarean hysterectomy for intrauterine death after failed endometrial resection 347
Kenny, D. T. Correspondence. Author's reply. In vitro fertilisation and gamete intrafallopian transfer: an integrative analysis of research 1987–1992 844
Kenny, D. T. In vitro fertilisation and gamete intrafallopian transfer: an integrative analysis of research, 1987–1992 317
Kiilholma, P. J. A. *See* Virtanen, H. S.
Killick, S. R. *See* Turnbull, L. W.
Kilpatrick, D. C. Correspondence. Intravenous immunoglobin in the prevention of recurrent miscarriage 510
King, A. D., Soothill, P. W., Montemagno, R., Young, M. P., Sams, V. & Rodeck, C. H. Twin-to-twin blood transfusion in a dichorionic pregnancy without the oligohydramniouspolyhydramnious sequence 334
Kingdom, J. C. P. *See* Macara, L.
Kingsland, C. R. *See* Al-Sebai, M. A. H.
Kingsland, C. R. *See* Biljan, M. M.
Kiser, W. R. *See* Stilley, B. W.
Kitchen, V. S. *See* Stafford, M. K
Kitchener, H. C., Cruickshank, M. E. & Farmery, E. The 1993 British Society for Colposcopy and Cervical Pathology/National Coordinating Network United Kingdom Colposcopy Survey 549
Kitchener, H. C. *See* Cruickshank, M. E.
Kohnen, G. *See* Macara, L.
Komproe, I. H. *See* Pop, V. J.
Konishi, I. Correspondence. Authors' reply. Expression of transforming growth factor-α in the normal cervix and in the benign and malignant lesions of the uterine cervix 84
Koopman, M. G. *See* Douma, C. E.
Korver, T., Goorissen, E. & Guillebaud, J. The combined oral contraceptive pill: what advice should we give when tablets are missed? 601
Kublickas, M. *See* Nordström, L.
Kudesia, G. *See* Zadik, P. M.
Kudo, Y., Iwashita, M., Itatsu, S., Iguchi, T. & Takeda, Y. Natural vesus surgical menopause: implications for the pathogenesis of osteoporosis 1002
Kuhn, P. *See* Brizot, M. L.
Kurz, Ch. *See* Enzelberger, H.
Kvint, S. *See* Gredmark, T.
Kwiatkowski, D. *See* Vince, G. S.
Kyei Mensah, A. *See* Harding, S.

Laffargue, F., Giacalone, P. L., Boulot, P., Vigouroux, B., Hedon, B. & Benos, P. A laparoscopic procedure for the treatment of vaginal aplasia 565
Lam, C. *See* Chan, F. Y.
Lancashire, R. *See* Sorahan, T.
Landoni, F. *See* Giurati, G.
Lane, G. *See* Parry, E.
Lane, M. *See* Sadler, L. C.
Laudanski, T. *See* Bossmar, T.
Lavery, S. & Harvey D. Correspondence. Neonatal respiratory morbidity and mode of delivery at term: influence of timing of elective caesarean section 843
Lazda, E. J. & Sams, V. R. The effects of gemeprost on the second trimester fetus 731
Leader, L. R. Commentary. Studies in fetal behaviour 595
Learmont, J. G. *See* Morris, N. H.
Leather, A. T. *See* Holland, E. F. N.
Lee, A., Deutinger, J. & Bernaschek, G. Three dimensional ultrasound: abnormalities of the fetal face in surface and volume rendering mode 302
Leeson, S. C., Morphopoulos, G., Buckley, C. H. & Hale, R. J. c-erbB-2 oncogene expression in Stage I epithelial ovarian cancer 65
van Leeuwen, E. *See* Wildschut, H. I. J.
Leiberman, J. R. *See* Mazor, M.
Leone, A. M. *See* Ramsay, B.
Lessey, B. A. & Castelbaum, A. J. Correspondence. Integrins in the endometrium of women with endometriosis 347
Lessing, J. B. *See* Daniel, Y.
Lessing, J. B. *See* Mushkat, Y.
Leung, K. Y., Sepulveda, W., Platt, C. C. & Bower, S. Parvovirus associated fetal hydrops: reversal of pregnancy induced proteinuric hypertension by in utero fetal transfusion 1013
Leung, T. Y. *See* Chung, T. K. H.
Levavi, H. *See* Neri, A.
Li, T. C. & Saravelos, H. Correspondence. Authors' reply. Oophorectomy at the same time as hysterectomy 584
Lidegaard, Ø. Oral contraceptives, pregnancy and the risk of cerebral thromboembolism: the influence of diabetes, hypertension, migraine and previous thrombotic disease 153
Liebermann, B. A. & Matson, P. L. Correspondence. Purchasing (and rationing) an in vitro fertilisation service 427
Lilford, R. J. *See* Onwude, J. L.
Lin, H-H., Chen, C-D., Chen, C-K., Chen, C-L., Chow, S-N. & Huang, S-C. Is total abdominal hysterectomy with bilateral salpingo-oophorectomy adequate for new FIGO Stage I endometrial carcinoma? 148
Lindoff, C. *See* Edlund, M.
Linton, E. A. *See* Perkins, A. V.
Lindow, S. W. Correspondence. Magnesium sulphate for pre-eclampsia and eclampsia: the evidence so far 263
Lindow, S. W. *See* Johanson, R.
Lintu, H. *See* Nisell, H.
Lissoni, A. *See* Zanetta, G.

Liu, K. L. *See* Versi, E.
Lloyd-Jones, F. *See* Shennan, A.
Lopez-Camelo, J. S. *See* Castilla, E. E.
Lorentzen, B., Drevon, C. A., Endresen, M. J. & Henriksen, T. Fatty acid pattern of esterified and free fatty acids in sera of women with normal and pre-eclamptic pregnancy 530
Lowe, D. G. *See* Crawford, R. A. F.
Luesley, D. *See* Kehoe, S.
Luesley, D. M. *See* Downey, G. P.
Lumsden, M. A. Commentary. Audit of transcervical endometrial ablation 87
Lunan, C. B. *See* Cheyne, H.
Lundsteen, C. *See* Macintosh, M. C. M.
Lunell, N. O. *See* Nisell, H.
Lyall, F. & Greer, I. A. Correspondence. Authors' reply. The cell adhesion molecule, VCAM-1, is selectively elevated in serum in pre-eclampsia: does this indicate the mechanism of leucocyte activation? 173
Lynch, P. *See* Thong, K. J.
Lyons, C. *See* Bull, A.

Ma, H. K. *See* Ho, P. C.
Macara, L., Kingdom, J. C. P., Kohnen, G., Bowman, A. W., Greer, I. A. & Kaufmann, P. Elaboration of stem villous vessels in growth restricted pregnancies with abnormal umbilical artery Doppler waveforms 807
MacDermott, R. I. J. Bacterial vaginosis 92
MacDermott, R. I. J. Correspondence. Author's reply. The interpretation of midstream urine microscopy and culture results in women who present acutely to the labour ward 507
Macdonald, L. *See* Purdie, D. W.
MacFadyen, U. Correspondence. Author's reply. The role of the gynaecologist in the diagnosis and management of child sexual abuse 82
Macfarlane, A. *See* Middle, C.
Macintosh, M. C. M., Wald, N. J., Chard, T., Hansen, J., Mikkelsen, M., Therkelsen, A. J., Petersen, G. B. & Lundsteen, C. Selective miscarriage of Down's syndrome fetuses in women aged 35 years and older 798
MacKenzie, I. Z. *See* Murphy, D. J.
Mackinson, A-M. *See* Bewley, S.
Mackinson, A-M. *See* Roberts, L. J.
Macklon, N. S., Barry, J. & Greer, I. A. Duplex ultrasound screening for deep venous thrombosis in the puerperium 255
MacLean, A. B. & Reid, W. M. N. Benign and premalignant disease of the vulva 359
de Maeyer, J., Schepens, P. J. C., Jorens, P. G. & Verstraete, R. Exposure to pentachlorophenol as a possible cause of miscarriages 1010
Maggi, M. *See* Bossmar, T.
Magides, A. *See* Stanley, K.
Magos, A., Bournas, N. & O'Connor, H. Correspondence. Conserving the cervix at hysterectomy 77
Magos, A. *See* Curtis, P.
Magos, A. L. *See* Broadbent, J. A. M.
Magos, A. L. *See* Davies, A.
Magos, A. L. *See* Richardson, R. E.
Mäkinen, J. I. *See* Virtanen, H. S.
Malone, C. G. *See* Biljan, M. M.
Mangioni, C. *See* Giurati, G.
Mansfield, P. *See* Baker, P. N.
Manton, D. J. *See* Turnbull, L. W.
Manyonda, I. *See* Collins, T.
Marchini, M. *See* Fedele, L.
Maresh, M. *See* Saha, A.
Maria, B. *See* Carbonne, B.
Marks, K. *See* Byrne, D. L.
Martin, I. *See* Clow, W. M.
Mashiach, S. *See* Carp, H. J. A.
Mason, A. *See* Smith, A. J.
Masson, G. M. *See* Aston, K.
Mathur, R. S. *See* Jenkins, J. M.
Mathur, R. S. *See* Jenkins, J. M.
Matson, P. L. *See* Liebermann, B. A.
Mattsson, L.-Å. *See* Gredmark, T.
Maymon, R. *See* Herman, A.
Maynard, P. V. *See* Wilcox, M. A.
Mazor, M., Chaim, W., Bar-David, J., Zmora, E., Yagupski, P., Leiberman, J. R. & Glezerman, M. Prenatal diagnosis of microbial invasion of the amniotic cavity with campylobacter coli in preterm labour 71
McCaffrey, M., Jankowska, A. & Gordon, H. Management of female genital mutilation: the Northwick Park Hospital experience 787
McCauley, J. *See* Sanusi, F. A.
McCullough, L. B. *See* Chervenak, F. A.
McEee, A. *See* Stanley, K.
McFadyen, I. R. *See* Al-Sebai, M. A. H.
McGoogan, E. *See* Johnstone, F. D.
McNamara, H. & Johnson, N. The effect of uterine contractions on fetal oxygen saturation 644
McPherson, J. *See* Smith, A. J.
Meekins, J. W. Correspondence. Interleukin-6, tumour necrosis factor and soluble tumour necrosis factor receptors in women with pre-eclampsia 842
Melville-Jones, G. R. *See* Clow, W. M.
Michie, C. A. & Harvey, D. Correspondence. Fetal immunological and haematological changes in intrauterine infection 79
Middle, C. & Macfarlane, A. Labour and delivery of 'normal' primparous women: analysis of routinely collected data 970
Mikkelsen, M. *See* Macintosh, M. C. M.
Milton, P. J. *See* Morrison, J. J.
Mindel, A. *See* Brocklehurst, P.
Mittwoch, U. *See* Clarke, C. A.
Mkanje, R. J. B. *See* Walraven, G. E. L.
Mohajer, M. P. *See* Chung, T. K. H.
Møller, B. Correspondence. Authors' reply. A randomised controlled trial of prophylaxis of postabortal infection: ceftriaxone versus placebo 592
Möllerström, G. *See* Nisell, H.
Mølsted-Pedersen, L. *See* Fog Pedersen, J.
Mølsted-Pedersen, L. *See* Fog Pedersen, J. F.
Molyneux, D. H. *See* Neilson, J. P.
Monga, A. *See* Alcalay, M.
Montemagno, R., Soothill, P. W., Scarcelli, M. & Rodeck, C. H. Disappearance of fetal choroid plexus cysts during the second trimester in cases of chromosomal abnormality 752
Montemagno, R. *See* King, A. D.
van Montfort, M. *See* Pop, V. J.
Morgan, B. *See* Shennan, A.
Morgan, K. & Thomas, E. J. Nerve injury at abdominal hysterectomy 665
Morgan, L., Baker, P., Pipkin, F. Broughton & Kalsheker, N. Pre-eclampsia and the angiotensinogen gene 489
Morgans, D. Bromocriptine and postpartum lactation suppression 851
Morphopoulos, G. *See* Leeson, S. C.
Morris, N. H., Sooranna, S. R., Learmont, J. G., Poston, L., Ramsey, B., Pearson, J. D. & Steer, P. J. Nitric oxide synthase activities in placental tissue from normotensive, pre-eclamptic and growth retarded pregnancies 711
Morrison, J. J. & O'Brien, P. J. Correspondence. Standing at work and preterm delivery 936
Morrison, J. J. & Rennie, J. M. Correspondence. Authors' reply. Neonatal respiratory morbidity and mode of delivery at term: influence of timing of elective caesarean section 843
Morrison, J. J., Rennie, J. M. & Milton, P. J. Neonatal respiratory morbidity and mode of delivery at term: influence of timing of elective caesarean section 101
Morrison, J. J., Sinnatamby, R., Hackett, G. A. & Tudor, J. Obstetric pelvimetry in the UK: an appraisal of current practice 748
Mott, S. *See* Black, A. Clarke, N.
Mould, T. A. J., Rodgers, M. E. & Singer, A. Correspondence. The psychological reaction of women to a colopscopy clinic 428
Mueller-Eckhardt, G. Correspondence. Authors' reply. Intravenous immunoglobin in the prevention of recurrent miscarriage 510
Muir, B. B. *See* Steel, J. M.
Mulder, E. J. H. *See* Derks, J. B.
Mumtaz, G. *See* Bevan, C. D.
Münster, K. *See* Schmidt, L.
Murphy, D. J. & MacKenzie, I. Z. The mortality and morbidity associated with umbilical cord prolapse 826
Mushkat, Y., Lessing, J. B., Jedwab, G. A. & David, M. P. Vaginal trauma occurring while sliding down a water chute 933
Mutton, D. *See* Alberman, E.
Myerscough, P. Correspondence. Fetal SaO_2 and contraction frequency 350

Naji, P. Stroud S. *See* Glazener, C. M. A.
Nathanson, M. H. & Ezeh, U. Correspondence. Carbon dioxide embolism following diagnostic hysteroscopy 505
Neale, R. Correspondence. Conserving the cervix at hysterectomy 78
Neilson, J. P., Molyneux, D. H. & Peel, K. R. Commentary. Reproductive health in developlng countries: a new initiative 353
Neilson, J. P. *See* Alfirevic, Z.
Neilson, J. P. *See* Oláh, K. S.
Nelson-Piercy, C. & de Swiet, M. Correspondence. Minimal compliance with the Department of Health recommendation for routine folate prophylaxis to prevent fetal neural tube defects 171
Nelson-Piercy, C. & de Swiet, M. Correspondence. Authors' reply. Complications of the use of corticosteroids for the treatment of hyperemesis gravidarum 508
Neri, A., Levavi, H. & Ovadia, J. Correspondence. Nausea and vomiting in pregnancy: a review of the problem with particular regard to psychological and social aspects 671
Newell, M-L. *See* Thorne, C.
Newlands, E. S. *See* Tidy, J. A.
Ngan, H. Y. S. *See* Chan, F. Y.
Nicholson, A. *See* Alberman, E.
Nicolaides, K. *See* Abbas, A.

Nicolaides, K. H., Brizot, M. L. & Snijders, R. J. M. Correspondence. Authors' reply. Fetal nuchal translucency: ultrasound screening for fetal trisomy in the first trimester of pregnancy 759
Nicolaides, K. H. *See* Brizot, M. L.
Nicolaides, K. H. *See* Pandya, P. P.
Nicolaidis, P. *See* Sepulveda, W.
Nisell, H., Lintu, H., Lunell, N. O., Möllerström, G. & Pettersson, E. Blood pressure and renal function seven years after pregnancy complicated by hypertension 876
Nordström, L., Ingemarsson, I., Kublickas, M., Persson, B., Shimojo, N. & Westgren, M. Scalp blood lactate: a new test strip method for monitoring fetal wellbeing in labour 894
Norman, J. E. Uterine rupture during therapeutic abortion in the second trimester using mifepristone and prostaglandin 332
Norman, K. & Pattinson, R. C. Correspondence. Authors' reply. Ampicillin and metronidazole treatment in preterm labour: a multicentre, randomised trial 267
North, R. *See* Sadler, L. C.
Nunns, D. Correspondence. Human papillomavirus vulvitis: a new disease or an unfortunate mistake? 584
Nussey, S. S. *See* Fickling, S. A.
Nwosu, E. C. *See* Chow, T. W. P.

O'Brien, P. J. *See* Morrison, J. J.
O'Brien, P. M. S. Correspondence. Author's reply. Failure of laparoscopic uterine suspension to provide a lasting cure for uterovaginal prolapse 512
O'Brien, P. M. S., *See* Hamilton, R. J.
O'Brien, P. M. S. *See* Pradhan, S.
O'Coigligh, J. *See* Odibo, A. O.
O'Connor, H. *See* Magos, A.
O'Connor, R. A. *See* Hiadzi, E.
O'Keefe, R. J., Scurry, J. P., Dennerstein, G., Sfameni, S. & Brenan, J. Audit of 114 non-neoplastic vulvar biopsies 780
Oates, S. *See* Bala, R.
Odent, M. R. Correspondence. Birth under water: sink or swim 81
Odibo, A. & Griffiths, M. Correspondence. Steroid administration 172
Odibo, A. O., Greenwood, C. & Selinger, M. Correspondence. Minimal compliance with the Department of Health recommendation for routine folate prophylaxis to prevent fetal neural tube defects 171
Odibo, A. O., O'Coigligh, J. & Selinger, M. Correspondence. Planned vaginal delivery after two previous caesarean sections 262
Oei, S. G., Keirse, M. J. N. C., Bloemenkamp, K. W. M. & Helmerhorst, F. M. European postcoital tests: opinions and practice 621
Offley-Shore, B. *See* Byrne, D. L.
Oganwu, S. *See* Sanusi, F. A.
Ogueh, O. Correspondence. Doubts using family history, age, alpha-fetoprotein and total human chorionic gonadotrophin in screening for Down's syndrome 349
Oikarinen, A., *See* Varila, E.
Oksanen, H. *See* Varila, E.
Oladipo, A. Correspondence. Complications of the use of corticosteroids for the treatment of hyperemesis gravidarum 508
Oláh, K. S. & Neilson, J. P. Correspondence. Authors' reply. Failure to progress in the management of labour 265
Olamijulo, J. & Duncan, I. D. Commentary. Is cervical cytology screening of teenagers worthwhile? 515
Olsen, S. F., Samuelsen, S. & Joensen, H. D. A clinico–pathological classification of perinatal deaths in the Faroe Islands 389
Ometto, A. *See* Spinillo, A.
Onwude, J. L., Lilford, R. J., Hjartardottir, H., Staines, A. & Tuffnell, D. A randomised double blind placebo controlled trial of fish oil in high risk pregnancy 95
Orcesi, S. *See* Spinillo, A.
Orton, C. I. *See* Ralston, D. R.
Osmond, C. *See* Howe, D. T.
Ovadia, J. *See* Neri, A.
Owen, P. Correspondence. Fetal fibronectin detection for prediction of preterm birth in low risk women 1019

Paavonen, J. *See* Venesmaa, P.
Page, I. J. Correspondence. Fetal nuchal translucency: ultrasound screening for fetal trisomy in the first trimester of pregnancy 758
Pandya, P. P., Snijders, R. J. M., Johnson, S. P., Brizot, M. L. & Nicolaides, K. H. Screening for fetal trisomies by maternal age and fetal nuchal translucency thickness at 10 to 14 weeks of gestation 957
Papa Petros, P. E. Correspondence. Chaos theory in obstetrics and gynaecology 588
Paraschos, T. *See* Brosens, J. J.
Parkin, D. E. Fatal toxic shock syndrome following endometrial resection 163
Parry, E., Wells, M., Baxter, T. & Lane, G. Recurrent spontaneous uterine rupture in a nulliparous young woman 420
Paterson-Brown, S., Fisk, N. M. & Wyatt, J. C. Uptake of meta-analytical overviews of effective care in English obstetric units 297
Paterson-Brown, S., de Swiet, M. & Robson, S. Correspondence. Authors' reply. Hydralazine boluses for the treatment of severe hypertension in pre-eclampsia 83
Patterson, J. E. & Chilton, C. P. Intra-vesical foreign body: an unusual cause 838
Pattinson, R. C. *See* Norman, K.
Paulin, F., Szabo, I. & Rigo Jr, J. Correspondence. Doppler colour flow imaging of fetal intracerebral arteries and umbilical artery in the small for gestational age fetus 174
Paz, J. E. *See* Castilla, E. E.
Pearson, J. D. *See* Morris, N. H.
Pearson, T. C. *See* Howard, R. J.
Peck, I. *See* Sorahan, T.
Peckham, C. *See* Thorne, C.
Peebles, D. M. *See* Aldrich, C. J.
Peek, M. J. & Shennan, A. H. Correspondence. Definition of pre-eclampsia 264
Peel, K. R. Commentary. The implications of the changing nature of gynaecological surgical practice on training 177
Peel, K. R. *See* Neilson, J. P.
Peeters, L. L. H. *See* Ubachs, J. M. H.
Pellegrino, A. *See* Giurati, G.
Penn, Z. J. & Steer, P. J. Commentary. Local research ethics committees: hindrance or help? 1
Penn, Z. J. & Steer, P. J. Correspondence. Authors' reply. Local research ethics committees: hindrance or help? 671
Penna, L. *See* Byrne, D. L.
Penney, G. Report of a RCOG Meeting: 4 April 1995. Induced abortion: the next decade 754
Pepperell, R. J. *See* Umstad, M. P.
Pereira, E. D. *See* Arayomi, J. O.
Perkins, A. V., Linton, E. A., Eben, F., Simpson, J., Wolfe, C. D. A. & Redman, C. W. G. Corticotrophin-releasing hormone and corticotrophin-releasing hormone binding protein in normal and pre-eclamptic human pregnancies 118
Permezel, M. *See* Umstad, M. P.
Perry, I. J. & Beevers, D. G. Correspondence. Authors' reply. Definition of pre-eclampsia 264
Persson, B. *See* Nordström, L.
Petersen, G. B. *See* Macintosh, M. C. M.
Petros, P. E. *Cf.* Papa Petros, P. E.
Pettersson, E. *See* Nisell, H.
Peyser, M. R. *See* Daniel, Y.
Pharoah, P. O. D. Commentary. Cerebral palsy and perinatal care 356
Phipps, J. H. & Desai, K. Synchronous combined cystoscopicvaginal correction of iatrogenic ureteric obstruction 168
Pickens, S. *See* Crone, R.
Pipkin, F. Broughton *See* Morgan, L.
Platt, C. C. *See* Leung, K. Y.
Pop, V. J., Wijnen, H. A., van Montfort, M., Essed, G. G., de Geus, C. A., van Son, M. M. & Komproe, I. H. Blues and depression during early puerperium: home versus hospital deliveries 701
Popescu, H. I. *See* Read, M. D.
van der Post, J. A. M. *See* Douma, C. E.
Poston, L. *See* Morris, N. H.
Powell, D. E. B. Correspondence. Local research ethics committees: hindrance or help? 671
Pradhan, S., Chenoy, R. & O'Brien, P. M. S. Dilatation and curettage in patients with cervical polyps: a retrospective analysis 415
Prentice, A. *See* Thomas, E. J.
Prescott, R. *See* Johnstone, F. D.
Preston, J. T., Cameron, I. T., Adams, E. J. & Smith, S. K. Comparative study of tranexamic acid and norethisterone in the treatment of ovulatory menorrhagia 401
Price, T. G. Correspondence. Author's reply. A classical dilemma 758
Pun, T. C. *See* Chan, F. Y.
Punnonen, R. *See* Varila, E.
Purdie, D. W., Empson, J. A. C., Crichton, C. & Macdonald, L. Hormone replacement therapy, sleep quality and psychological wellbeing 735

Raju, K. S. *See* Auld, B. J.
Raju, K. S. *See* Cason, J.
Ralston, D. R., Tunney, P., Orton, C. I. & Elstein, M. The use of a tissue expander as a vaginal stent in vaginal reconstruction 62
Ramsay, B., Johnson, M. R., Leone, A. M. & Steer, P. J. The effect of exogenous oestrogen on nitric oxide production in women: a placebo controlled crossover study 417
Ramsey, B. *See* Morris, N. H.
Rand, R. J. *See* Calvert, S. M.
Randall, S. *See* Burch, D. J.
Ranieri, E. *See* Chan, A.
Rankin, G. L. S. Correspondence. Length of hospital stay after vaginal hysterectomy 172
Rantala, I., *See* Varila, E.

Read, M. *See* Jackson, S.
Read, M. D. & Popescu, H. I. Evaluation of Solcogyn: a paint-on preparation for the local treatment of cervical ectopy 492
Redman, C. W. G. *See* Perkins, A. V.
Redman, C. W. G. *See* Vince, G. S.
Reginald, P. W. & Hughes J. H. Correspondence. Authors' reply. The role of pipelle endometrial biopsy in patients with postmenopausal bleeding 262
Reid, D. M. *See* Garratt, A. M.
Reid, M. *See* Cheyne, H.
Reid, W. M. N. *See* MacLean, A. B.
Reilly, C. *See* Stanley, K.
Rennie, J. M. *See* Morrison, J. J.
Reunala, T., *See* Varila, E.
Reynolds, E. O. R. *See* Aldrich, C. J.
Richardson, R. E. & Magos, A. L. Correspondence. Authors' reply. Failure of laparoscopic uterine suspension to provide a lasting cure for uterovaginal prolapse 512
Richmond, D. H. *See* Chow, T. W. P.
Ridgway, G. L. *See* Bevan, C. D.
Rigo Jr, J. *See* Paulin, F.
Rischen-Vos, J. *See* ter Haar-van Eck, S. A.
Rispin, R. *See* Hinshaw, K.
Ristelli, J., *See* Varila, E.
Rizzo, G., Capponi, A., Arduini, D. & Romanini, C. The value of fetal arterial, cardiac and venous flows in predicting pH and blood gases measured in umbilical blood at cordo centesis in growth retarded fetuses 963
Roberts, L. J., Bewley, S., Mackinson, A-M. & Rodeck, C. H. First trimester fetal nuchal translucency: problems with screening the general population 1. 381
Roberts, L. J. *See* Bewley, S.
Roberts, M., Brown, A. StJ. M., James, O. F. W. & Davison, J. M. Interpretation of cyclosporin A levels in pregnancy following orthoptic liver transplantation 570
Robertson, E. F. *See* Chan, A.
Robichez, B., Zen, T. & Ferrara, A. Correspondence. Failure of laparoscopic uterine suspension to provide a lasting cure for uterovaginal prolapse 512
Robinson, G. Correspondence. Author's reply. Low dose combined oral contraceptives 591
Robinson, J. *See* Beech, B. A.
Robson, S. *See* Paterson-Brown, S.
Roche, W. *See* Thomas, E. J.
Rodeck, C. H. *See* Bewley, S.
Rodeck, C. H. *See* King, A. D.
Rodeck, C. H. *See* Montemagno, R.
Rodeck, C. H. *See* Roberts, L. J.
Rodgers, M. E. *See* Mould, T. A. J.
Rolfe, P. *See* Hamilton, R. J.
Roman, J. D. & Hare, A. A. Digoxin and decompression amniocentesis for treatment of feto–fetal transfusion 421
Romanini, C. *See* Rizzo, G.
Ron-El, R. *See* Herman, A.
van Roosmalen, J. & Wildschut, H. I. J. Correspondence. Authors' reply. Planned abdominal compared with planned vaginal birth in triplet pregnancies 938
van Roosmalen, J. *See* Walraven, G. E. L.
van Roosmalen, J. *See* Wildschut, H. I. J.
Ross, E. *See* Brocklehurst, P.
Rowden, P. *See* Tidy, J. A.
Rowe, P. *See* Black, A. Clarke, N.
Rowlands, D. J. & Vyas, S. K. Longitudinal study of fetal middle cerebral artery flow velocity waveforms preceding fetal death 888
Rushton, D. I. Should perinatal post mortems be carried out by specialist pathologists? 182
Rushton, D. I. Correspondence. Author's reply. Should perinatal postmortems be carried out by specialist pathologists 757
Russell, I. T. *See* Glazener, C. M. A.
Rustin, G. J. S. *See* Tidy, J. A.
Rutter, N. The extremely preterm infant 682
Ryan, C. A. & Hughes, P. Correspondence. Neonatal respiratory morbidity and mode of delivery at term: influence of timing of elective caesarean section 843
Rybo, G. *See* Edlund, M.

Sadler, L. C. & Jones, R. W. The progression of noncontiguous intra-epithelial neoplasia in the lower urinary and genital tracts to invasive carcinoma 162
Sadler, L. C., Lane, M. & North, R. Severe fetal intracranial haemorrhage during treatment with cholestyramine for intrahepatic cholestasis of pregnancy 169
Saha, A. & Maresh, M. Commentary. Audit: the developing agenda 273
Sahota, D. S. *See* Chung, T. K. H.
Salaria, D. A. *See* Gibb, D. M. F.
Saleem, A. K. N. *See* Clow, W. M.
Sams, V. *See* King, A. D.
Sams, V. R. *See* Lazda, E. J.
Samuelsen, S. *See* Olsen, S. F.
Sanchez-Ramos, L. Correspondence. Early abortion induction by a combination of mifepristone and oral misoprostol 506
Sanderson, D. *See* Wilcox, M.
Santema, J. G. & Wallenburg, H. C. S. Correspondence. Authors' reply. Expectant management of twin pregnancy with single fetal death 842
Santema, J. G., Swaak, A. M. & Wallenburg, H. C. S. Expectant management of twin pregnancy with single fetal death 26
Sanusi, F. A., McCauley, J., Oganwu, S., Bernhardt, L. W. & Simanowitz, M. D. Correspondence. Authors' reply. Doubts using family history, age, alpha-fetoprotein and total human chorionic gonadotrophin in screening for Down's syndrome 349
Saravelos, H. *See* Li, T. C.
Sarkar, P. Correspondence. Failure to progress in the management of labour 265
Scalambrino, S. *See* Zanetta, G.
Scarcelli, M. *See* Montemagno, R.
Schepens, P. J. C. *See* de Maeyer, J.
Schmidt, L., Münster, K. & Helm, P. Infertility and the seeking of infertility treatment in a representative population 978
von Schoultz, B. *See* Edlund, M.
Scottish Hysteroscopy Audit Group. A Scottish audit of hysteroscopic surgery for menorrhagia: complications and follow up 249
Scurry, J. P. Correspondence. Authors' reply. Human papillomavirus vulvitis: a new disease or an unfortunate mistake? 584
Scurry, J. P. *See* O'Keefe, R. J.
Secher, N. J. *See* Brink Henriksen, T.
Seddon, G. *See* Versi, E.
Seligman, S. A. Commentary. Döderlein's bacillus: friend or foe? 763
Selinger, M. *See* Odibo, A. O.
Sellers, W. F. S. & Wood, P. L. Correspondence. Length of hospital stay after vaginal hysterectomy 1020
Seppälä, M. *See* Tiitinen, A.
Sepulveda, W., Cullen, S., Nicolaidis, P., Hollingsworth, J. & Fisk, N. M. Echogenic foci in the fetal heart: a marker of chromosomal abnormality 490
Sepulveda, W. *See* Leung, K. Y.
Sfameni, S. *See* O'Keefe, R. J.
Shenhav, M. *See* Daniel, Y.
Shennan, A., Cooke, V., Lloyd-Jones, F., Morgan, B. & de Swiet, M. Blood pressure changes during labour and whilst ambulating with combined spinal epidural analgesia 192
Shennan, A. H. *See* Halligan, A. W. F.
Shennan, A. H. *See* Peek, M. J.
Shepherd, J. H. *See* Crawford, R.
Shepherd, J. H. *See* Crawford, R. A. F.
Shimojo, N. *See* Nordström, L.
Short, D. *See* Tidy, J. A.
Siddall-Allum, J. *See* Beard, R. W.
Siddle, N. C. *See* Bevan, C. D.
Siddons, A. D. *See* Zadik, P. M.
Silverstone, E. *See* Vlies, R.
Simanowitz, M. D. *See* Sanusi, F. A.
Simberg, N. *See* Tiitinen, A.
Simpson, J. *See* Perkins, A. V.
Singer, A. *See* Mould, T. A. J.
Sinha, R. Correspondence. Chronic pelvic pain caused by residual ovaries and ovarian remnants 935
Sinnatamby, R. *See* Morrison, J. J.
Skakkebæk, N. E. *See* Fog Pedersen, J.
Slevin, M. L. *See* Hudson, C. N.
Slooff, A. C. J. *See* Ubachs, J. M. H.
Smart, G. *See* Johnstone, F. D.
Smith, A. J., Walters, W. A., Buckley, N. A., Gallagher, L., Mason, A. & McPherson, J. Hypertensive and normal pregnancy: a longitudinal study of blood pressure, distensibility of dorsal hand veins and the ratio of the stable metabolites of thromboxane A_2 and prostacyclin in plasma 900
Smith, J. R. *See* Stafford, M. K
Smith, R. N. J., Studd, J. W. W., Zamblera, D. & Holland, E. F. N. A randomised comparison over 8 months of 100 μg and 200 μg twice weekly doses of transdermal oestradiol in the treatment of severe premenstrual syndrome 475
Smith, S. J. *See* Wilcox, M. A.
Smith, S. K. *See* Burch, D. J.
Smith, S. K. *See* Preston, J. T.
Snijders, R. J. M. *See* Brizot, M. L.
Snijders, R. J. M. *See* Nicolaides, K. H.
Snijders, R. J. M. *See* Pandya, P. P.
Soeters, R. *See* Denny, L. A.
van Son, M. M. *See* Pop, V. J.
Sonnex, C. The amine test: a simple, rapid, inexpensive method for diagnosing bacterial vaginosis 160
Sooranna, S. R. *See* Morris, N. H.

Soothill, P. W. *See* King, A. D.
Soothill, P. W. *See* Montemagno, R.
Sorahan, T., Lancashire, R., Stewart, A. & Peck, I. Pregnancy ultrasound and childhood cancer: a second report from the Oxford Survey of Childhood Cancers 831
Soule, S. G. & Jacobs, H. S. Commentary. Prolactinomas: present day management 178
de Souza, N. M. *See* Brosens, J. J.
Spencer, J. A. D. *See* Aldrich, C. J.
Spinillo, A., Capuzzo, E., Stronati, M., Ometto, A., Orcesi, S. & Fazzi, E. Effect of preterm premature rupture of membranes on neurodevelopmental outcome: follow up at two years of age 882
Spowart, K. J. M. *See* Burch, D. J.
Spurrett, B. *See* Fischer, G.
Stafford, M. K, Kitchen, V. S. & Smith, J. R. Reducing the risk of blood borne infection in surgical practice 439
Staines, A. *See* Onwude, J. L.
Stanley, K., Magides, A., Arnot, M., Bruce, C., Reilly, C., McEee, A. & Fraser, R. Delayed gastric emptying as a factor in delayed postprandial glycaemic response in pregnancy 288
Stanton, S. L. Correspondence. An unusual cause of post-menopausal bleeding and incontinence of urine: primary lymphoma of the vagina 672
Stanton, S. L. *See* Alcalay, M.
Stanton, S. L. *See* Chin, Y. K.
Starkey, P. M. *See* Vince, G. S.
Steel, J. M. & Johnstone, F. D. Correspondence. Authors' reply. Does early growth delay occur in diabetic pregnancy? 936
Steel, J. M., Wu, P. S., Johnstone, F. D., Muir, B. B., Sweeting, V. M. & Hillier, S. G. Does early growth delay occur in diabetic pregnancy? 224
Steer, P. J. *See* Morris, N. H.
Steer, P. J. *See* Penn, Z. J.
Steer, P. J. *See* Ramsay, B.
Stewart, A. *See* Sorahan, T.
Stilley, B. W. & Kiser, W. R. Correspondence. Surgery for genuine stress incontinence 81
Stronati, M. *See* Spinillo, A.
Studd, J. W. W. *See* Holland, E. F. N.
Studd, J. W. W. *See* Smith, R. N. J.
Sullivan, H. *See* Furniss, H.
Sutton, C. J. G. Correspondence. Misuse of lasers in gynaecology 505
Swaak, A. M. *See* Santema, J. G.
Sweeting, V. M. *See* Duncan, W. C.
Sweeting, V. M. *See* Steel, J. M.
de Swiet, M. *See* Halligan, A. W. F.
de Swiet, M. *See* Nelson-Piercy, C.
de Swiet, M. *See* Paterson-Brown, S.
de Swiet, M. *See* Shennan, A.
Szabo, I. *See* Paulin, F.
Szamatowicz, J. *See* Bossmar, T.

Takeda, Y. *See* Kudo, Y.
Tan, S. L. *See* Brinsden, P. R.
Taroni, F. Correspondence. The role of the gynaecologist in the diagnosis and management of child sexual abuse 82
Taylor, C. T. *See* Biljan, M. M.
Tebbutt, H. *See* Hudson, C. N.
Templeton, A. *See* El-Refaey, H.
Templeton, A. *See* Glazener, C. M. A.
Templeton, A. *See* Hinshaw, K.
Therkelsen, A. J. *See* Macintosh, M. C. M.
Thomas, E. J., Bridges, J., Prentice, A., Englefield, P. & Roche, W. Correspondence. Authors' reply. Integrins in the endometrium of women with endometriosis 347
Thomas, E. J. *See* Morgan, K.
Thong, K. J., Lynch, P. & Baird, D. T. Correspondence. Uterine rupture during therapeutic abortion in the second trimester using mifepristone and prostaglandin 844
Thorne, C., Newell, M-L., Dunn, D. & Peckham, C. The European Collaborative Study: clinical and immunological characteristics of HIV 1-infected pregnant women 869
Thornton, J. Correspondence. Author's reply. A multicentre randomised trial of amniotomy in spontaneous first labour at term 267
Tidy, J. A., Rustin, G. J. S., Newlands, E. S., Foskett, M., Fuller, S., Short, D. & Rowden, P. Presentation and management of choriocarcinoma after nonmolar pregnancy 715
Tiitinen, A., Husa, L-M., Tulppala, M., Simberg, N. & Seppälä, M. The effect of cryopreservation in prevention of ovarian hyperstimulation syndrome 326
Todd, P. *See* Crawford, R. A. F.
Toder, V. *See* Carp, H. J. A.
Torgerson, D. J. *See* Garratt, A. M.
Tozzi, L. *See* Fedele, L.
Trudinger, B. J. *See* Humphrey, K. E.
Tsang, S. S. K. *See* Ho, P. C.
Tuck, S. M. *See* Howard, R. J.
Tuck, S. M. *See* Jensen, C. E.
Tucker, A. *See* Johanson, R.
Tudor, J. *See* Morrison, J. J.
Tuffnell, D. *See* Onwude, J. L.
Tulppala, M. *See* Tiitinen, A.
Tunney, P. *See* Ralston, D. R.
Turnbull, D. *See* Cheyne, H.
Turnbull, L. W., Manton, D. J., Horsman, A. & Killick, S. R. Magnetic resonance imaging changes in uterine zonal anatomy during a conception cycle 330
Turner, R. C. *See* Byrne, B. M.

Ubachs, J. M. H., Slooff, A. C. J. & Peeters, L. L. H. Obstetric antecedents of surgically treated obstetric brachial plexus injuries 813
Ugwumadu, A. Correspondence. Induction of labour confers benefits in prolonged pregnancy 79
Ugwumadu, A. Correspondence. Oophorectomy at the same time as hysterectomy 583
Umstad, M. P., Permezel, M. & Pepperell, R. J. Commentary. Litigation and the intrapartum cardiotocograph 89

Varila, E., Rantala, I., Oikarinen, A., Ristelli, J., Reunala, T., Oksanen, H. & Punnonen, R. The effect of topical oestradiol on skin collagen of postmenopausal women 985
Venesmaa, P., Paavonen, J., Forss, M. & Ylikorkala, O. Chemotherapy changes the DNA ploidy in ovarian cancer 568
Verdonk, P. *See* Hellemans, P.
Verkuyl, D. A. A. Correspondence. Author's reply. Repair of rectovaginal fistual with traction in a HIV positive patient 586
Verkuyl, D. A. A. Correspondence. Mouth operated mucus extractors: safe to use? 845
Versi, E., Liu, K. L., Chia, P. & Seddon, G. Obstetric outcome of Bangladeshi women in East London 630
Verstraete, R. *See* de Maeyer, J.
Vierhout, M. E. *See* Hol, M.
Vigouroux, B. *See* Laffargue, F.
Vince, G. S., Starkey, P. M., Austgulen, R., Kwiatkowski, D. & Redman, C. W. G. Interleukin-6, tumour necrosis factor and soluble tumour necrosis factor receptors in women with pre-eclampsia 20
Vindla, S. & James, D. Commentary. Fetal behaviour as a test of fetal wellbeing 597
Virtanen, H. S. & Mäkinen, J. I. Mortality after gynaecologic operations in Finland, 1986–1991 54
Virtanen, H. S., Mäkinen, J. I. & Kiilholma, P. J. A. Conserving the cervix at hysterectomy 587
Visser, G. H. A. *See* Bulstra-Ramakers, M. T. E. W.
Visser, G. H. A. *See* Derks, J. B.
Visser, W. & Wallenburg, H. C. S. Temporising management of severe pre-eclampsia with and without the HELLP syndrome 111
Vlies, R. & Silverstone, E. Focal salmonellosis: an unusual presentation of uterine malignancy 259
Vyas, S. & Gangar, K. Postmenopausal oestrogens and arteries 942
Vyas, S. K. *See* Rowlands, D. J.

Wada, I. *See* Brinsden, P. R.
Wald, N. J. *See* Macintosh, M. C. M.
Walker, J. J. Correspondence. Author's reply. Birth under water: sink or swim 82
Walker, J. J. Phenytoin prophylaxis in severe pre-eclampsia and eclampsia 78
Walkinshaw, S. A. *See* Alfirevic, Z.
Walkinshaw, S. A. *See* Duthie, S. J.
Wall, L. L. Correspondence. Reproductive health in developing countries: a new initiative 1017
Wallenburg, H. C. S. *See* Santema, J. G.
Wallenburg, H. C. S. *See* Visser, W.
Walraven, G. E. L., Mkanje, R. J. B., van Roosmalen, J., van Dongen, P. W. J., van Asten, H. A. G. H. & Dolmans, W. M. V. Single pre-delivery symphysis–fundal height measurement as a predictor of birthweight and multiple pregnancy 525
Walters, W. A. *See* Smith, A. J.
Ward, K. *See* Kehoe, S.
Weaver, J. B. *See* Chin, K. A. J.
Weeks, A. D. Correspondence. A multicentre randomised trial of amniotomy in spontaneous first labour at term 267
Weindling, M. Periventricular haemorrhage and periventricular leukomalacia 278
Weinraub, Z. *See* Herman, A.
Wells, M. *See* Parry, E.
Westgate, J. A. *See* Keith, R. D. F.
Westgren, M. *See* Nordström, L.
van der Westhuizen, S. *See* Johanson, R.
Wheeler, T. *See* Howe, D. T.

Whitley, G. StJ. *See* Fickling, S. A.
Wickramasinghe, Y. A. B. D. *See* Hamilton, R. J.
Wijnen, H. A. *See* Pop, V. J.
van Wijngaarden, W. J., Duncan, I. D. & Hussain, K. A. Screening for cervical neoplasia in Dundee and Angus: 10 years on 137
Wilcox, A. J. *See* Brink Henriksen, T.
Wilcox, M., Sanderson, D. & Johnson, I. Correspondence. Practical assessment of neonatal nutrition status beyond birthweight: an imperative for the 1990s 673
Wilcox, M. A., Smith, S. J., Johnson, I. R., Maynard, P. V. & Chilvers, C. E. D. The effect of social deprivation on birthweight, excluding physiological and pathological effects 918
Wildschut, H. I. J., van Roosmalen, J., van Leeuwen, E. & Keirse, M. J. N. C. Planned abdominal compared with planned vaginal birth in triplet pregnancies 292
Wildschut, H. I. J. *See* van Roosmalen, J.
Wilkinson, C. & Hamilton-Fairley, D. Correspondence. A randomised controlled trial of prophylaxis of post-abortal infection: ceftriaxone versus placebo 591
Wilson, A. M. *See* Chan, G. C. P.
Wilson, D. *See* Herbison, P.
Wilson, D. C. Nutrition of the preterm baby 854
Wilton, A. N. *See* Humphrey, K. E.
Winston, R. M. L. *See* Brosens, J. J.
Wladimiroff, J. W. Correspondence. Author's reply. Doppler colour flow imaging of fetal intracerebral arteries and umbilical artery in the small for gestational age fetus 174
Wolfe, C. D. A. Correspondence. Purchasing (and rationing) an in vitro fertilisation service 427
Wolfe, C. D. A. *See* Perkins, A. V.
Wood, P. L. *See* Sellers, W. F. S.
Wong, C. Y. & Daniel, D. G. Correspondence. Complications of the use of corticosteroids for the treatment of hyperemesis gravidarum 508
Wong, R. L. C. *See* Chan, F. Y.
Wonke, B. *See* Jensen, C. E.
Worthington, B. S. *See* Baker, P. N.
Wu, P. S. *See* Steel, J. M.
Wyatt, J. S. *See* Aldrich, C. J.
Wyatt, J. C. *See* Paterson-Brown, S.
Wyness, J. *See* Garratt, A. M.

Yagupski, P. *See* Mazor, M.
Yang, Z. J. *See* Chung, T. K. H.
Yim, S. F. *See* Yuen, P. M.
Ylikorkala, O. *See* Venesmaa, P.
Young, M. P. *See* King, A. D.
Yuen, P. M., Chan, N. S. T., Yim, S. F. & Chang, A. M. Z. A randomised double blind comparison of Syntometrine® and Syntocinon® in the management of the third stage of labour 377

Zadik, P. M., Kudesia, G. & Siddons, A. D. Low incidence of primary infection with toxoplasma among women in Sheffield: a seroconversion study 608
Zamblera, D. *See* Smith, R. N. J.
Zanetta, G., Lissoni, A., Cha, S., Bertalero, C., Scalambrino, S. & Bratina, G. Pre-operative morphological and colour Doppler features of borderline ovarian tumours 990
Zanetta, G. *See* Giurati, G.
Zarfati, D. *See* Bornstein, J.
Zen, T. *See* Robichez, B.
Zmora, E. *See* Mazor, M.

Subject Index

Abortion
- Down's syndrome, 1989 to 1993, preliminary findings, 445
- early induction by combined mifepristone and oral misoprostol, 506
- first trimester
  - advances in methods, 755
  - effects of gemeprost and mifepristone on mechanical properties of cervix prior to, 553
- global issues, 754
- national audit, 755
- the next decade, 754
- obstetricians' views on prenatal diagnosis and, 1980 compared with 1993, 228
- post-abortal infection, randomised controlled trial of propylaxis, ceftriazone versus placebo, 591
- second trimester
  - advances in methods, 755
  - for fetal abnormality, advantages of new regimen using mifepristone and misoprostol, 559
  - reducing induction to abortion interval, comparison of mifepristone with laminaria tent, 648
  - using mifepristone and prostaglandin, uterine rupture during, 332, 844
- sequelae of, 754
- service provision, 755
- teenage pregnancy, 754
- third trimester, justification for, 434
- *see also* Miscarriage

Adnexal masses, vascular flare pattern in, useful additional parameter to morphological score in distinguishing benign from malignant tumours, 345

After Cairo, 436

AIDS *see* HIV

Albumin, urinary excretion in pregnancy, circadian variation of, 107

Alpha-fetoprotein (AFP)
- first trimester maternal, in fetal trisomies, 31
- serum levels, and ultrasound sensitivity in population-based antenatal screening for neural tube defects, South Australia 1986–1991, 370

Amine test, as simple, rapid, inexpensive method for diagnosis of bacterial vaginosis, 160

Amnifiltration, first trimester, technical, cytogenetic and pregnancy outcome of 104 consecutive procedures, 220

Amniocentesis, decompression, and digoxin, for treatment of feto–fetal transfusion, 421

Amniotic fluid, microbial invasion with campylobacter coli in preterm labour, prenatal diagnosis of, 71

Amniotomy
- multicentre randomised trial in spontaneous first labour at term, 267
- preterm premature, effect on neurodevelopment outcome, follow up at two years of age, 882

Ampicillin, and metronidazole, in preterm labour, multicentre randomised trial, 267

Angiotensinogen gene, and pre-eclampsia, 489

Antenatal care, randomised controlled trial of simple compared with complex fetal monitoring after 42 weeks of gestation, 638

Aspirin, low dose in pregnancy, and early childhood development, follow up of collaborative low-dose aspirin study in pregnancy, 861

Audit
- developing agenda, 273
- endometrial transcervical ablation, 87
- hysteroscopic surgery for menorrhagia in Scotland, complications and follow up, 249
- induced abortion, 755
- non-neoplastic vulvar biopsies, 780

Basic fibroblast growth factor mRNA, and peptide expression and function in human pregnancy, 577

Betamethasone, maternal administration, effects on fetus, 40

Birthweight
- at caesarean section, relationship between human fetal oxygen consumption and, 578
- effect of social deprivation on, excluding physiological and pathological effects, 918
- practical assessment of neonatal nutrition status beyond, 673
- single pre-delivery symphysis-fundal height measurement as predictor of, 525
- *see also* Fetus, intrauterine growth retardation

Bladder, ultrasound, vaginal studies of bladder neck mobility, 47

Blair Bell Research Society abstracts, 573, 997

Blood
- gases, umbilical blood at cordocentesis, value of fetal arterial, cardiac and venous flows in predicting, in growth retarded fetuses, 963
- loss of *see* Haemorrhage
- pH, umbilical blood at cordocentesis, value of fetal arterial, cardiac and venous flows in predicting, in growth retarded fetuses, 963
- transfusion
  - autologous, in patients undergoing radical hysterectomy, 64
  - intrauterine, changes in regional blood flow following, ovine model, 573
  - twin-to-twin, in dichorionic pregnancy without oligohydramnious-polyhydramnious sequence, 334
- volume, and fetal cerebral oxygenation, effect of maternal pushing during second stage of labour, 448

Blood pressure
- changes during labour and whilst ambulating with combined spinal epidural analgesia, 192
- *see also* Hypertensive pregnancy

Bone mass, increase in older postmenopausal women with low mineral bone density after one year of percutaneous oestradiol implants, 238

Brachial plexus injuries, surgically treated, obstetric antecedents, 813

27th British Congress of Obstetrics and Gynaecology, 1017

Bromocriptine, and postpartum lactation suppression, 851

Burch colposuspension, 10–20 year follow up, 740

c-erbB-2 oncogene, expression in Stage I epithelial ovarian cancer, 65

CA125, screening for ovarian cancer, combination with OVX1 has high sensitivity for preclinical disease, 344

Caesarean section
- elective, influence of timing on neonatal respiratory morbidity and mode of delivery at term, 101, 843
- hysterectomy, for intrauterine death after failed endometrial resection, 347
- isthmic pregnancy located in previous scar, follow up and outcome, 839
- operations in Edinburgh during 18th century, 186
- planned abdominal compared with planned vaginal birth in triplet pregnancies, 292, 937
- planned vaginal delivery after, 262
- relationship between human fetal oxygen consumption and birth weight, 578

Campylobacter coli, microbial invasion of amniotic activity with in preterm labour, prenatal diagnosis of, 71

Cancer
- adnexal masses, vascular flare pattern in, useful additional parameter to morphological score in distinguishing benign from malignant tumours, 345
- associated human papillomavirus perinatal transmission and persistence, 265
- cervical
  - carcinogenesis, analysis of HPV infection and P53 mutation, 1001
  - cellular localisation of HPV16 E4 protein in, 998
  - incidence of cervical intraepithelial neoplasia among women with renal transplant in relation to cyclosporine, 58
  - screening for in Dundee and Angus, 137
- childhood, pregnancy ultrasound and, second report from Oxford Survey of Childhood Cancers, 831
- choriocarcinoma, presentation and management after nonmolar pregnancy, 346, 715
- endometrial, total abdominal hysterectomy with bilateral salpingo-oophorectomy, adequacy for new FIGO Stage I, 148
- noncontiguous intra-epithelial neoplasia in lower urinary and genital tracts, progression to invasive carcinoma, 162
- ovarian
  - advanced inoperable, phase II study of alternating paclitaxel and carboplatin in patients with, 342
  - altered gene expression using differential display technique, 343
  - analysis of vascular endothelial growth factor, receptor and TP53 in, 340
  - application of flow cytometric DNA analysis to detecting presence of malignant cells in peritoneal fluids, 656
  - chemotherapy changes DNA ploidy in, 568
  - cholera toxin effect on carcinoma cell lines, 341
  - deletion units of chromosomes 13q and Xq defined by loss of heterozygosity analysis of, 339

expression of mRNA encoding vascular endothelial growth factor in, 574
fine mapping of site of deletion on chromosome 6q in, 343
induced resistance to cytotoxic lymphocytes, 344
inhibition of A2780 cell line by quercetin and cis-platinum *in vitro*, 999
lipid peroxides in cyst fluids from benign and malignant tumours, 340
platinum resistant, Hexalen (altretamine) salvage chemotherapy after taxol in women with, 341
positional cloning of tumour suppressor gene on human 6q26–27, 343
pre-operative morphological and colour Doppler features of borderline tumours, 990
previously untreated, single agent paclitaxel in patients with stage IV epithelial ovarian cancer, preliminary analysis of phase II study, 341
refractory
phase II trial of paclitaxel, update of Israeli experience, 342
and relapsed, preliminary results of cisplatin, epirubicin and 5-fluorouracil for, 341
related to minimal access surgery, 726
retrospective analysis of survival and natural history in patients with borderline tumours, 345
screening for, combination of CA 125 and OVX1 has high sensitivity for preclinical disease, 344
stage I epithelial, c-erbB-2 oncogene expression in, 65
stage III bilateral dysgerminoma, successful pregnancy after treatment, 1015
pelvic, benign and malignant masses, combinations of serum marker assays for discriminating, 344
uterine, focal salmonellosis, unusual presentation, 259
vulvo-vaginal, urinary beta core fragment of human chorionic gonadotrophin and prognostic significance, 345
Carbon dioxide embolism, following diagnostic hysteroscopy, 348, 505
Carboplatin, and paclitaxel, phase II study in patients with advanced inoperable epithelial ovarian cancer, 342
Cardiotocography
intrapartum, computerised analysis, and prediction of fetal acidosis at birth, 454
multicentre comparative study of 17 experts and an intelligent computer system for managing labour using, 688
Ceftriaxone, versus placebo, randomised controlled trial of prophylaxis of post-abortal infection, 591
Cell adhesion molecules, VCAM-1, selective elevation in serum in pre-eclampsia as indication of mechanism of leucocyte activation, 173
Cerebral palsy, perinatal care, 356
Cerebral thromboembolism, oral contraceptives, pregnancy and risk of, influence of diabetes, hypertension, migraine and previous thrombotic disease, 153
Cervix
cancer
carcinogenesis, analysis of HPV infection and P53 mutation, 1001
cellular localisation of HPV16 E4 protein in, 998
incidence of cervical intraepithelial neoplasia among women with renal transplant in relation to cyclosporine, 58
screening for in Dundee and Angus, 137
carbon dioxide superpulse laser excision conization, assessment of specimen histological quality, 576
cervical dysplasia, population-based, controlled study of relation with HIV infection, 589
cervical ectopy, evaluation of Soleogyn, a paint-on preparation for local treatment of, 492
cervical smears
cervical cytology screening of teenagers, is it worthwhile, 515
incidence indicating dysplasia among Austrian women during 1980s, 541
mild dyskaryotic, dealing with report, 517
cervical transformation zone, large loop excision of
does colposcopically directed punch biopsy reduce the incidence of, 545
fertility and pregnancy outcome following, 467
colposcopy, 336
1993 British Society for Colposcopy and Cervical Pathology/National Coordinating Network United Kingdom Colposcopy Survey, 549
clinic, psychological reaction of women to, 428
colposcopically directed punch biopsy, and reduction of incidence of negative LLETZ, 545
conservation at hysterectomy, 77, 263, 587
mechanical properties, effects of gemeprost and mifepristone prior to first trimester termination of pregnancy, 553
polyps, dilatation and curettage in patients with, retrospective analysis, 415, 1018
transabdominal cervicoisthmic cerclage, in management of recurrent trimester miscarriage and preterm delivery, 802
transforming growth factor-α expression in normal cervix and benign and malignant lesions, 83
see also Uterus
Chaos theory in obstetrics and gynaecology, 588
Cholera toxin, new effect on ovarian carcinoma cell lines, 341
Cholestyramine, fetal intracranial haemorrhage during treatment for intrahepatic cholestasis of pregnancy, 169
Choriocarcinoma, presentation and management after non-molar pregnancy, 346, 715
Choroid plexus cysts, disappearance during second trimester in cases of chromosomal abnormality, 752
Chromosome abnormalities
deletion units of chromosomes 13q and Xq defined by loss of heterozygosity analysis of ovarian cancer, 339
disappearance of fetal choroid plexus cysts during second trimester, 752
echogenic foci in fetal heart as marker of, 490
fine mapping of site of deletion on chromosome 6q in epithelial ovarian cancer, 343
trisomies
first trimester maternal serum alpha-fetoprotein in, 31
maternal serum hCG and nuchal translucency thickness for prediction of in first trimester of pregnancy, 174
screening by maternal age and fetal nuchal translucency thicknes at 10 to 14 weeks of gestation, 957
ultrasound screening for fetal trisomy in first trimester of pregnancy, 758
see also Congenital abnormalities; Down's syndrome
Circumcision of male babies
American perspective, 940
reasons for, 939
Cis-platinum
inhibition of A2780 ovarian carcinoma cell line *vitro*, 999
preliminary results for refractory and relapsed epithelial ovarian cancer, 341
Classical dilemma, 758
Cocaine, antepartum abuse, intraventricular haemorrhage and maternal brain death associated with, 68
Colposcopy *see* Cervix
Conceptual products, value of histopathological examination of, 256
Congenital abnormalities
cerebral palsy, perinatal care, 356
limb reduction defects in South America, 393
trisomies
first trimester maternal serum alpha-fetoprotein in, 31
maternal serum hCG and nuchal translucency thickness for prediction of in first trimester of pregnancy, 127
see also Chromosome abnormalities; Neural tube defects
Contraception
implants, first clinical experience with, 573
oral
combined pill, advice when tablets missed, 601
low dose combined, 590
and risk of cerebral thromboembolism, influence of diabetes, hypertension, migraine and previous thrombotic disease, 153
Corticosteroids, complications of use for treatment of hyperemesis gravidarum, 507
Corticotrophin-releasing hormone binding protein, and corticotrophin-releasing hormone in normal and pre-eclamptic human pregnancies, 118
Corticotrophin-releasing hormone, and corticotrophin-releasing hormone binding protein in normal and pre-eclamptic human pregnancies, 118
Creatine kinase activity, measurement of, and diagnosis of ectopic pregnancy, 233
Cryopreservation, effect in prevention of ovarian hyperstimulation syndrome, 326
Cyclosporin A
incidence of cervical intraepithelial neoplasia among women with renal transplant in relation to, 58
interpretation of levels in pregnancy following orthoptic liver transplantation, 570
Cystoscopy, iatrogenic ureteric obstruction, synchronous combined cystoscopic-vaginal correction of, 168

Deep venous thrombosis, in puerperium, duplex ultrasound screening for, 255
Diabetic pregnancy
control, and intrauterine growth of fetus, 275
early growth delay in, 936
implications for future health of mother, 427
insulin-like growth factor binding protein-1 levels in first trimester, relation to early growth delay, 927
oral contraceptives, pregnancy and risk of cerebral thromboembolism, influence of, 153

Digoxin, and decompression amniocentesis, for treatment of feto–fetal transfusion, 421
Dilatation and curettage, in patients with cervical polyps, retrospective analysis, 415, 1018
Doctors, hospital, training for the future, 354
Döderlein's bacillus, friend or foe, 763
Doppler ultrasound *see* Ultrasound
Down's syndrome
  births and pregnancy terminations in 1989 to 1993, preliminary findings, 445
  screening for
    doubts using family history, age, alpha-fetoprotein and total human chorionic gonadotrophin in, 349
    in first trimester of pregnancy, 660
  selective miscarriage of fetuses in women aged 35 years and older, 798
Drug abuse, anonymous testing for in antenatal population, 563
Dydrogesterone, cyclical, dose-ranging study of use with continuous 17β oestradiol, 243

Eclampsia
  HLA-G deletion polymorphism and, 707
  magnesium sulphate for, evidence so far, 263
  phenytoin prophylaxis in, 78
  see also Hypertensive pregnancy; Pre-eclampsia
Ectopic pregnancy *see* Pregnancy
Eicosapentaenoic acid, effects on intrauterine growth retardation and pregnancy-induced hypertension, 123
Electrocardiogram, fetal, and improved intrapartum surveillance, 579
Endometriosis, integrins in endometrium of women with, 347
Endometrium
  cancer, total abdominal hysterectomy with bilateral salpingo-oophorectomy, adequacy for new FIGO Stage I, 148
  changeover from conventional hormone replacement to tibolone, effects of, 1001
  integrins in endometriosis, 347
  pipelle biopsy, role in patients with postmenopausal bleeding, 262
  resection
    failed, caesarean hysterectomy for intrauterine death after, 347
    fatal toxic shock syndrome following, 163
      follow up, late onset of pain and effect of depot medroxyprogesterone acetate, 587
  transcervical ablation, audit of, 87
  see also Endometriosis
Endoscopy, symptoms relieved by endoscopic ventrosuspension, 575
Epidural analgesia, blood pressure changes during labour and whilst ambulating, 192
Epirubicin, preliminary results for refractory and relapsed epithelial ovarian cancer, 341
Ethics, 501
  competence and mental handicap, 502
  informed consent, 502
  medical ethics and philosopher, 501
  money and medical decisions, 501
  obstetricians as utilitarians, 501
  prenatal diagnosis, 503
  reality of practice, 504
  sex selection, 503
Ethics committees
  hindrance or help, 1, 671, 842
  role of, 504

Fatty acids, pattern of esterified and free fatty acids in sera of women with normal and pre-eclamptic pregnancy, 530
Ferritin, maternal, influence on mid-pregnancy placental volume, 213
Fertility
  in β thalassaemia major, report of 16 pregnancies, preconceptual evaluation and literature review, 625
  following large loop excision of cervical transformation zone, 467
Fetus
  abnormalities
    Down's syndrome
      births and pregnancy terminations in 1989 to 1993, preliminary findings, 445
      screening for, doubts using family history, age, alpha- fetoprotein and total human chorionic gonadotrophin in, 349
      screening for in first trimester of pregnancy, 660
      selective miscarriage of fetuses in women aged 35 years and older, 798
    limb reduction defects in South America, 393
    mid-trimester termination for, advantages of new regimen using mifepristone and misoprostol, 559
    neural tube defects
      minimal compliance with Department of Health recommendations for routine folate prophylaxis in prevention of, 171
      sensitivity of ultrasound and serum alpha-fetoprotein in population-based antenatal screening for, South Australia 1886–1991, 370
    trisomies
      first trimester maternal serum alpha-fetoprotein in, 31
      maternal serum hCG and nuchal translucency thickness for prediction of in first trimester of pregnancy, 127
      screening for by maternal age and fetal nuchal translucency thickness at 10 to 14 weeks of gestation, 957
  see also Congenital abnormalities
  absent end-diastole flow on umbilical artery Doppler waveform analysis, prospective randomised comparison of effect of continuous oxygen therapy and bedrest, 662
  acid-base status, mean cerebral oxygen saturation measured before delivery and prediction of, 577
  acidosis, prediction at birth by computerised analysis of intrapartum cardiotocography, 454
  behaviour
    studies of, 595
    as test of fetal wellbeing, 597
  betamethasone effects following maternal administration, 40
  birthweight *see* Birthweight
  blood
    transfusion
      intrauterine, changes in regional blood flow following, ovine model, 573
      twin-to-twin, in dichorionic pregnancy without oligohydramnious-polyhydramnious sequence, 334
    volume, and cerebral oxygenation, effect of maternal pushing during second stage of labour, 448
  brain volume, measurement with echo-planar magnetic resonance imaging, 35
  cerebral artery flow velocity waveforme, longitudinal study preceding fetal death, 888
  cerebral oxygenation
    and blood volume, effect of maternal pushing during second stage of labour, 448
    and contraction frequency, 350, 644
    effect of maternal posture on during labour, 14
    and late fetal heart decelerations, changes during first stage of labour, 9
    near infrared spectroscopy demonstrating apparent change in non-viable fetus, 1004
    and prediction of fetal acid-base state at birth, 577
  choroid plexus cysts, disappearance during second trimester in cases of chromosomal abnormality, 752
  distress, elevated levels of insulin-like growth factor binding protein-1 in, 538
  EEG, and improved intrapartum surveillance, 579
  facial abnormalities, three dimensional ultrasound in surface and volume rendering mode, 302
  feto–fetal transfusion, digoxin and decompression amniocentesis for, 421
  fibronectin detection, for prediction of preterm birth in low risk women, 207, 1019
    in cervico-vaginal secretions as predictor for preterm delivery, 574
  heart
    echogenic foci as marker of chromosomal abnormality, 490
    rate
      intrapartum cardiotocograph, litigation and, 89
      late decelerations and changes in cerebral oxygenation during the first stage of labour, 9
  human chorionic gonadotrophin concentration in aneuploid pregnancies, 561
  insulin-like growth factor binding protein-1, lack of evidence for circadian rhythm during labour, 891
  intracranial haemorrhage, during treatment with cholestyramine for intrahepatic cholestasis of pregnancy, 169
  intrauterine death
    caesarean for, after failed endometrial resection, 347
    expectant management of twin pregnancy with single fetal death, 26, 842
  intrauterine growth retardation
    diabetic pregnancy, 936
      and diabetic control, 275
      and serum levels of insulin-like growth factor-1, 927
    Doppler colour flow imaging of fetal intracerebral arteries and umbilical artery in, 174
    elaboration of stem villous vessels with abnormal umbilical artery Doppler waveforms, 807
    nitric oxide synthase activity in placental tissue, 711

and pregnancy induced hypertension, effects of 3g eicosapentaenoic acid daily on recurrence of, 123
renal growth and plasma active renin concentration in, 998
value of fetal arterial, cardiac and venous flows in predicting pH and blood gases in, 963
intrauterine infection, immunological and haematological changes in, 79
liver volume, measurement with echo-planar magnetic resonance imaging, 35
monitoring
randomised controlled of simple compared with complex, after 42 weeks of gestation, 638
scalp blood lactate, new test strip method for monitoring fetal wellbeing in labour, 894
nuchal translucency
for prediction of trisomies in first trimester of pregnancy, maternal serum hCG and, 127
problems with screening general population, 381, 386, 1018
screening for fetal trisomies by maternal age and, at 10 to 14 weeks of gestation, 957
ultrasound screening for fetal trisomy in first trimester of pregnancy, 758
oxygen consumption, and birth weight at caesarean section, 578
oxygen saturation, and contraction frequency, 350, 644
parvovirus associated hydrops, reversal of pregnancy induced proteinuric hypertension by in utero fetal transfusion, 1011
second trimester, effects of gemeprost on, 731
trisomies
first trimester maternal serum alpha-fetoprotein in, 31
maternal serum hCG and nuchal translucency thickness for prediction of in first trimester of pregnancy, 127
ultrasound screening for fetal trisomy in first trimester of pregnancy, 758
viability, role of single progesterone measurement in diagnosis of pregnancy failure and prognosis of, 364
Fibronectin, fetal, detection of, for prediction of preterm birth in low risk women, 207, 1019
Fish oil, randomised double blind placebo controlled trial in high risk pregnancy, 95
Flow cytometric DNA analysis, application in detecting presence of malignant cells in ovarian carcinoma peritoneal fluids, 656
5-Fluorouracil, preliminary results for refractory and relapsed epithelial ovarian cancer, 341
Folate, routine prophylaxis, minimal compliance with Department of Health recommendations to prevent fetal neural tube defects, 171
Follicular development, endocrine and paracrine regulation of, 73

Gamete intrafallopian transfer, and *in vitro* fertilisation, integrative analysis of research, 317, 844
Gastric emptying, delayed in pregnancy, as factor in delayed postprandial glycaemic response, 288
Gemeprost
effects on mechanical properties of cervix prior to first trimester termination of pregnancy, 553
effects on second trimester fetus, 731
Genital herpes infection, recurrent, management in pregnancy, postal survey of obstetric practice, 791
Genital mutilation (female circumcision), management of, Northwick Park Hospital experience, 787
Genital tract, noncontiguous intra-epithelial neoplasia of, progression to invasive carcinoma, 162
Gestation *see* Pregnancy
Gestational diabetes *see* Diabetic pregnancy
Gestational trophoblastic disease, comparison of colour Doppler sonography and pelvic arteriogram in assessment of patients with, 720
Glucose homeostatis, in adulthood and pregnancy in patient with hepatic glycogen synthetase deficiency, 931
Glycogen synthetase deficiency, glucose homeostatis in adulthood and pregnancy, 931
Gonadotrophin releasing hormone, pituitary desensitisation with, progestogen therapy and prevention of functional ovarian cysts during, 835
Gonadotrophins
new preparations, advantages over hMG, 75
role in treatment of unexplained infertility, 76
Granulosa cells, characterisation of urokinase receptors on, 576
Gynaecological practice
chaos theory in, 588
ethics in, from theory to practice, 501
evaluation of flexible senior registrar training in obstetrics and gynaecology, 461
misuse of lasers in, 505
Gynaecologist, role in diagnosis and management of child sexual abuse, 82

Haemoglobin, maternal, influence on mid-pregnancy placental volume, 213
Haemolytic uraemic syndrome, postpartum, treated with plasma infusion, 69
Haemorrhage
fetal intracranial, during treatment with cholestyramine for intrahepatic cholestasis of pregnancy, 169
intraventricular, and maternal brain death associated with antepartum cocaine abuse, 68
periventricular, and periventricular leukomalacia, 278
postmenopausal
histopathological findings in women with, 133
primary lymphoma of vagina as cause of, 164, 672
role of pipelle endometrial biopsy in patients with, 262
Heart, fetal heart rate *see* Fetus
HELLP syndrome, temporising management of severe pre-eclampsia with and without, 111
Hexalen (altretamine), salvage chemotherapy after taxol in women with platinum resistant ovarian cancer, 341
Histopathology, value of examination of conceptual products, 256
HIV
European Collaborative Study, clinical and immunological characteristics of HIV 1-infected pregnant women, 869
population-based, controlled study of relation with cervical dysplasia, 589
repair of rectovaginal fistula with traction in HIV positive patient, 586
HLA-G deletion polymorphism, and pre-eclampsia/eclampsia, 707
Homocystinuria, and previous near-fatal postpartum cavernous sinus thrombosis, successful pregnancy outcome, 751
Hormone replacement therapy
endometrial effects following changeover to tibolone, 1001
sleep quality and psychological wellbeing, 735
HPV16 E4 protein, cellular localisation in cervical intraepithelial neoplasia, 998
Human chorionic gonadotrophin
doubtfulness of using family history, age, alpha-fetoprotein and total human chorionic gonadotrophin in screening for Down's syndrome, 349
fetal and maternal concentration in aneuploid pregnancies, 561
maternal serum levels, and fetal nuchal translucency thickness for prediction of fetal trisomies in first trimester of pregnancy, 127
urinary beta core fragment, prognostic significance in women with vulvovaginal malignancy, 345
Human menopausal gonadotrophin, advantages of new gonadotrophin preparations over, 75
Human papillomavirus
carcinogenesis of cervical carcinoma cells, analysis of infection, 1001
perinatal transmission and persistence, association with cancer, 265, 583
vulvitis, new disease or unfortunate mistake, 584
Hydralazine, boluses for treatment of severe hypertension in pre-eclampsia, 83, 585
Hyperemesis gravidarum, complications of use of corticosteroids for treatment of, 507
Hypertensive pregnancy
ambulatory blood pressure monitoring in evaluating necessity for antihypertensive therapy, 1000
blood pressure and renal function seven years after, 876
effects of antenatal thyrotrophin-releasing hormone on maternal blood pressure, 575
hydralazine boluses for treatment, 83, 585
improving risk assessment, comparison of clinic, day unit and day ambulatory blood pressure, 575
and intrauterine growth retardation, effects of 3g eicosapentaenoic acid daily on recurrence of, 123
longitudinal study of blood pressure, distensibility of dorsal hand veins and ratio of stable metabolites of thromboxane A2 and prostacyclin in plasma, 900
oral contraceptives, pregnancy and risk of cerebral thromboembolism, influence of, 153
parvovirus associated fetal hydrops, reversal by in utero fetal transfusion, 1011
see also Eclampsia; Pre-eclampsia
Hysterectomy
abdominal, nerve injury at, 665
caesarean, for intrauterine death after failed endometrial resection, 347
conservation of cervix at, 77, 263, 587
laparoscopic
assisted Doderlein, initial experience with, 307
how many should be, 577
oophorectomy at same time as, 583
radical, autologous blood transfusion in patients undergoing, 64
total abdominal
for benign disease, indications for and outcome of, prospective cohort study, 611
with bilateral salpingo-oophorectomy, adequacy for new FIGO Stage I endometrial carcinoma, 148

vaginal
laparoscopic, versus abdominal hysterectomy, 511
length of hospital stay after, 172, 1020
Hysterocolpectomy, and colo-caecal vaginoplasty, for treatment of resistant sarcoma botyroides, 346
Hysteroscopy
diagnostic, carbon dioxide embolism after, 348
diagnostic, carbon dioxide embolism in, 505
Scottish audit of for menorrhagia, complications and follow up, 249

Immunoglobulin, intravenous, in prevention of recurrent miscarriage, 509
In vitro fertilisation
controlled assessment of performance in British women of Indian origin compared with caucasians, 575
and gamete intrafallopian transfer, integrative analysis of research, 317, 844
purchasing and rationing service, 427
Incontinence
idiopathic detrusor instability, intravesical instillation of oxybutynin, randomised trial, 929
primary lymphoma of vagina as cause of, 164, 672
stress
follow up of silastic sling for, 143
surgery for, 81
Infection
amniotic cavity, microbial invasion with campylobacter coli in preterm labour, prenatal diagnosis, 71
bacterial vaginosis, 92
blood borne, reducing risk in surgical practice, 439
intrauterine, fetal immunological and haematological changes in, 79
pelvic *see* Pelvis
post-abortal, randomised controlled trial of propylaxis, ceftriazone versus placebo, 591
recurrent genital herpes, management in pregnancy, postal survey of obstetric practice, 791
Infertility
anovulatory, selection and cost effectiveness of treatment, 74
ethical issues and role of regulatory bodies, 76
luteinizing hormone, hypersecretion of as significant cause, 74
male, controversies in clinical management of, 75
micro-assisted fertilisation in treatment of, 75
oocyte donors, acute shortage in UK, results of British National Survey, 746
postcoital tests, European, opinions and practice, 621
pregnancy complications after treatment, awareness and prevention, 520
prevalence and aetiology, and organisation of integrated infertility service, 73
seeking of treatment, 978
unexplained, role of gonadotrophins in, 76
see also In vitro fertilisation
Insulin-like growth factor binding protein-1
elevated levels in fetal distress, 538
in first trimester of diabetic pregnancy, relation to early growth delay, 927
lack of evidence for circadian rhythm in mother and fetus during labour, 891
Integrins, in endometrium of women with endometriosis, 347
Interleukin-6, tumour necrosis factor and soluble tumour necrosis factor receptors in women with pre-eclampsia, 20, 842
Intra-vesical foreign body, unusual cause, 838
Intrauterine death *see* Fetus
Intrauterine growth retardation *see* Fetus

Kidney
function, and blood pressure, seven years after pregnancy complicated by hypertension, 876
growth, and plasma active renin concentration, in small and appropriate for gestational age fetuses, 998
transplant, incidence of cervical intraepithelial neoplasia in relation to cyclosporine, 58

Labour and delivery
birth asphyxia, clustering of perinatal markers and outcome at age five years, 505
blood pressure changes during, and whilst ambulating with combined spinal epidural analgesia, 192
epidural analgesia, mobile patient-controlled, blood pressure changes with, 1000
failure to progress, 265
fetal acidosis, prediction by computerised analysis of intrapartum cardiotocography, 454
fetal cerebral oxygenation
changes in, and late fetal heart decelerations during first stage, 9
effect of maternal posture on, 14
first, multicentre randomised trial of amniotomy at term, 267
induction, benefits in prolonged pregnancy, 79
insulin-like growth factor binding protein-1, lack of evidence for circadian rhythm in mother and fetus, 891
management
minimally invasive method of internal monitoring, 997
multicentre comparative study of 17 experts and intelligent computer system using cardiotocogram, 688
scalp blood lactate, new test strip method for monitoring fetal wellbeing, 894
third stage, randomised double blind comparison of Syntometrine and Syntocinon in, 377
mode of delivery
birth underwater, 81
neonatal respiratory morbidity and, influence of timing of elective caesarean section, 101, 843
normal primiparous women, analysis of routinely collected data, 970
perinatal transmission and persistence of human papillomavirus, association with cancer, 265
planned vaginal
after two previous caesarean sections, 262
compared with planned abdominal in triplet pregnancies, 292, 937
preterm
ampicillin and metronidazole treatment in, multicentre randomised trial, 267
effect of amniotomy on neurodevelopmental outcome, follow up at two years of age, 882
fetal fibronectin assessment
in cervico-vaginal secretions as predictor for, 574
for prediction in low risk women, 207, 1019
intensive care, triumph or madness, 504
prenatal diagnosis of microbial invasion of amniotic cavity with campylobacter coli in, 71
standing at work and, 198, 936
transabdominal cervicoisthmic cerclage in management of, 802
second stage, effect of maternal pushing on fetal cerebral oxygenation and blood volume, 448
Laminaria tent, second trimester termination, comparison with mifepristone in reduction of induction to abortion interval, 648
Laparoscopy
clinical, laparoscopic and microbiological findings in acute salpingitis, report on United Kingdom cohort, 407
hysterectomy, how many should be laparoscopic, 577
laparoscopic procedure for treatment of vaginal aplasia, 565
laparoscopic uterine suspension, failure to provide a lasting cure for uterovaginal prolapse, 512
laparoscopic vaginal hysterectomy versus abdominal hysterectomy, 511
laparoscopic-assisted Doderlein hysterectomy, initial experience with, 307
role in diagnosis and follow up of patients with pelvic infection, 425
simple equipment to facilitate, 495
Lasers
carbon dioxide, superpulse excision conization of cervix, assessment of specimen histological quality, 576
misuse of in gynaecology, 505
Leukomalacia, periventricular, and periventricular haemorrhage, 278
Lipid peroxides, in cyst fluids from benign and malignant ovarian tumours, 340
Luteal insufficiency, treatment of, 76
Luteinizing hormone, hypersecretion, as significant cause of sub-fertility and miscarriage, 74

Magnesium sulphate, for pre-eclampsia and eclampsia, evidence so far, 263
Magnetic resonance imaging
changes in uterine zonal anatomy during conception cycle, 330
echo-planar, measurement of fetal liver, brain and placental volumes with, 35
Male to female ratio, changes at different stages of life, 677
Mallory–Weiss syndrome, complicating pregnancy in patient with scleroderma, diagnosis and management, 498
Maternal
age, and fetal nuchal translucency thickness, screening for fetal trisomies by, at 10 to 14 weeks of gestation, 957
alpha-fetoprotein levels, in fetal trisomies, 31
betamethasone administration, effects on fetus, 40
blood pressure, effects of antenatal thyrotrophin-releasing hormone on, 575
brain death associated with antepartum cocaine abuse, intraventricular haemorrhage and, 68
ferritin, and haemoglobin, influence on mid-pregnancy placental volume, 213

haemoglobin, and ferritin, influence on mid-pregnancy placental volume, 213
health in developing world, 1017
human chorionic gonadotrophin concentration in aneuploid pregnancies, 561
insulin-like growth factor binding protein-1, lack of evidence for circadian rhythm during labour, 891
postnatal morbidity, extent, causes, prevention and treatment, 282
posture, effect on fetal cerebral oxygenation during labour, 14
pushing during second stage of labour, effect on fetal cerebral oxygenation and blood volume, 448
serum hCG, and fetal nuchal translucency thickness for prediction of fetal trisomies in first trimester of pregnancy, 127
serum screening for Down's syndrome in first trimester of pregnancy, 660
Medroxyprogesterone acetate, depot, effect on late onset of pain following endometrial resection, 587
Menopause
bone mass, increase in older postmenopausal women with low mineral bone density after one year of percutaneous oestradiol implants, 238
histopathological findings in women with postmenopausal bleeding, 133
natural versus surgical, implications for pathogenesis of osteoporosis, 1002
postmenopausal bleeding
primary lymphoma of vagina as cause of, 164, 672
role of pipelle endometrial biopsy in patients with, 262
postmenopausal oestrogens and arteries, 942
premenopausal women, measuring sexual functioning in, 311
skin collagen of postmenopausal women, effect of topical oestradiol on, 985
see also Hormone replacement therapy
Menstrual cycle
menorrhagia
ovulatory, comparative study of tranexamic acid and norethisterone in treatment of, 401
reduction of menstrual blood loss with novel antifibrinolytic drug (Kabi 2161), 913
Scottish audit of hysteroscopic surgery for, complications and follow up, 249
premenstrual syndrome, randomised comparison of twice weekly doses of transdermal oestradiol in treatment of, 475
Metronidazole, and ampicillin, in preterm labour, multicentre randomised trial, 267
Midwife-led care unit, obstetricians' view on, 485
Mifepristone
and combined oral misoprostol, early abortion induction by, 506
effects on mechanical properties of cervix prior to first trimester termination of pregnancy, 553
and prostaglandin, uterine rupture during therapeutic abortion in second trimester using, 332, 844
second trimester termination
comparison with laminaria tent in reduction of induction to abortion interval, 648
for fetal abnormality, 559
Migraine, oral contraceptives, pregnancy and risk of cerebral thromboembolism, influence of, 153
Miscarriage
Down's syndrome fetuses, in women aged 35 years and older, 798
exposure to pentachlorophenol as possible cause of, 1010
luteinizing hormone, hypersecretion of as significant cause, 74
misoprostol in management of, 832
recurrent
intravenous immunoglobulin in prevention of, 509
second trimester, transabdominal cervicoisthmic cerclage in management of, 802
see also Abortion
Misoprostol
in management of spontaneous abortion, 832
and mid-trimester termination for fetal abnormality, 559
oral, and combined mifepristone, early abortion induction by, 506
Morbidity
neonatal respiratory, and mode of delivery at term, influence of timing of elective caesarean section, 101, 843
postnatal maternal, extent, causes, prevention and treatment, 282
umbilical cord prolapse, 826
Mortality
after gynaecologic operations in Finland 1986–1991, 54
umbilical cord prolapse, 826
see also Fetus, intrauterine death
Mucus extractors, mouth-operated, safety of use, 261, 845
Multiple pregnancy
single pre-delivery symphysis-fundal height measurement as predictor of, 525
see also Triplet pregnancy; Twin pregnancy

Myometrium *see* Uterus

Nausea and vomiting, in pregnancy, review of problem with particular regard to psychological and social aspects, 6, 671
Near infrared spectroscopy, demonstration of apparent change in fetal cerebral oxygenation in non-viable fetus, 1004
Neural tube defects
minimal compliance with Department of Health recommendations for routine folate prophylaxis in prevention of, 171
sensitivity of ultrasound and serum alpha-fetoprotein in population-based antenatal screening for, South Australia 1886–1991, 370
Newborn
exogenous surfactants, current use, 679
neonatal death
communication following, room for improvement, 952
role of specialist pathologist in post mortem, 182, 757
nutrition status beyond birthweight, practical assessment of, 673
preterm, 682
nutrition, 854
respiratory morbidity and mode of delivery at term, influence of timing of elective caesarean section, 101, 843
Nitric oxide
production in women, effect of exogenous oestrogen on, placebo controlled crossover study, 417
and venodilation during pregnancy, 573
Nitric oxide synthase, placental
in normotensive, pre-eclamptic and growth retarded pregnancies, 711
in normotensive pregnancies and in pregnancies complicated by pre-eclampsia, 578
Norethisterone, and tranexamic acid, comparative study in treatment of ovulatory menorrhagia, 401

Obstetric practice
chaos theory in, 588
ethics in, from theory to practice, 501
evaluation of flexible senior registrar training in obstetrics and gynaecology, 461
labour and delivery in normal primiparous women, analysis of routinely collected data, 970
management of recurrent genital herpes in pregnancy, postal survey of, 791
pelvimetry, UK appraisal, 748
uptake of meta-analytical overviews of effective care in English obstetric units, 297
Obstetricians
opinion of midwife-led care unit, 485
as utilitarians, 501
views on prenatal diagnosis and termination of pregnancy, 1980 compared with 1993, 228
Oestradiol
continuous, dose-ranging study of use of cyclical dydrogesterone with, 243
implants, increase in bone mass of older postmenopausal women with low mineral bone density after one year, 238
topical, effect on skin collagen of postmenopausal women, 985
transdermal, twice weekly doses, randomised comparison in treatment of severe premenstrual syndrome, 475
Oestrogens
exogenous, effect on nitric oxide production in women, placebo controlled crossover study, 417
postmenopausal, and arteries, 942
receptor, transfection of oestrogen receptor-negative ovarian eipthelial cell line with a cDNA encoding, model system for studying the effects of steroid receptor status on cell cycle parameters and growth factor expression, 339
see also Hormone replacement therapy
Oophorectomy, at same time as hysterectomy, 583
Osteoporosis, pathogenesis, natural versus surgical menopause, 1002
Ovary
cancer
advanced inoperable, phase II study of alternating paclitaxel and carboplatin in patients with, 342
altered gene expression using differential display technique, 343
analysis of vascular endothelial growth factor, receptor and TP53 in, 340
application of flow cytometric DNA analysis to detecting presence of malignant cells in peritoneal fluids, 656
chemotherapy changes DNA ploidy in, 568
cholera toxin effect on carcinoma cell lines, 341
deletion units of chromosomes 13q and Xq defined by loss of heterozygosity analysis of, 339
expression of mRNA encoding vascular endothelial growth factor in, 574

fine mapping of site of deletion on chromosome 6q in, 343
induced resistance to cytotoxic lymphocytes, 344
inhibition of A2780 cell line by quercetin and cis-platinum *in vitro*, 999
lipid peroxides in cyst fluids from benign and malignant tumours, 340
platinum resistant, Hexalen (altretamine) salvage chemotherapy after taxol in women with, 341
positional cloning of tumour suppressor gene on human 6q26-27, 343
pre-operative morphological and colour Doppler features of borderline tumours, 990
previously untreated, single agent paclitaxel in patients with stage IV epithelial ovarian cancer, preliminary analysis of phase II study, 341
refractory
phase II trial of paclitaxel, update of Israeli experience, 342
and relapsed, preliminary results of cisplatin, epirubicin and 5-fluorouracil for, 341
related to minimal access surgery, 726
retrospective analysis of survival and natural history in patients with borderline tumours, 345
screening for, combination of CA 125 and OVXI has high sensitivity for preclinical disease, 344
stage I epithelial, c-erbB-2 oncogene expression in, 65
stage III bilateral dysgerminoma, successful pregnancy after treatment, 1015
cysts, progestogen therapy and prevention of, during pituitary desensitisation with GnRH agonists, 835
ovarian epithelial cell line, oestrogen receptor-negative, transfection with a cDNA encoding the oestrogen receptor, model system for studying effects of steroid receptor status on cell cycle parameters and growth factor expression, 339
ovarian hyperstimulation syndrome
diagnosis, prevention and management, 767
effect of cryopreservation in prevention of, 326
severe, management of, 2, 585, 935
polycystic ovary syndrome, cardiovascular risk, role of plasma lipids, 578–9
Ovulation, induction of, 76
OVX1, screening for ovarian cancer, combination with CA 125 has high sensitivity for preclinical disease, 344
Oxybutynin, intravesical instillation in women with idiopathic detrusor instability, randomised trial, 929
Oxygen
fetal consumption, and birthweight at caesarean section, 578
fetal oxygen saturation
and blood volume, effect of maternal pushing during second stage of labour, 448
and contraction frequency, 350, 644
effect of maternal posture on during labour, 14
and late fetal heart decelerations, changes during first stage of labour, 9
and prediction of fetal acid-base state at birth, 577
prospective randomised comparison of effect of continuous therapy and bedrest on fetuses with absent end-diastole flow on umbilical artery Doppler waveform analysis, 662
Oxytocin, receptor-mediated uterine effects in nonpregnant women, 907

P53 mutation, carcinogenesis of cervical carcinoma cells, analysis of HPV infection and, 1001
Paclitaxel
and carboplatin, phase II study in patients with advanced inoperable epithelial ovarian cancer, 342
phase II trial in refractory ovarian cancer, update of Israeli experience, 342
in previously untreated patients with stage IV epithelial ovarian cancer, preliminary analysis of phase II study, 341
Pelvis
benign and malignant pelvic masses, combinations of serum marker assays for discriminating, 344
historical representations of, 442
pelvic arteriogram, comparison with colour Doppler sonography in assessment of patients with gestational trophoblastic disease, 720
pelvic extenteration, review of Gateshead experience 1874–1992, 172
pelvic infection
aetiology and diagnosis, 424
in developing countries, 426
development of vaccines against, 426
epidemiological aspects, 424
immunopathology, 425
infertility and, 425
management, role of microbiologist, 425
new antimicrobials in, 425
randomised controlled trial of prophylaxis of post-abortal infection, ceftriaxone versus placebo, 591
role of laparoscopy in diagnosis and follow up of patients, 425
role of men in, 426
vaginosis and, 424
pelvic pain, 580
caused by residual ovaries and ovarian remnants, 935
pelvimetry, in UK, appraisal of current practice, 748
Pemphigus, associated with pregnancy, 667
Pentachlorophenol exposure, as possible cause of miscarriages, 1010
Perineoplasty, compared with vestibuloplasty, for severe vulvar vestibulitis, 652
Phenytoin, prophylaxis in severe pre-eclampsia and eclampsia, 78
Placenta
maturity, sonographic, stereological and Doppler flow velocimetric assessments of, 818
mRNA levels of vascular endothelial growth factor and receptor fit in pre-eclampsia, 998
nitric oxidase synthase, activities in normotensive pregnancies and in pregnancies complicated by pre-eclampsia, 578
volume
measurement with echo-planar magnetic resonance imaging, 35
mid-pregnancy, influence of maternal haemoglobin and ferritin on, 213
Plasma active renin concentration, and renal growth, in small and appropriate for gestational age fetuses, 998
Plastic surgery, graft versus flap, 429
Polycystic ovaries *see* Ovary
Population studies
ampicillin and metronidazole treatment in preterm labour, multicentre randomised trial, 267
anonymous testing for drug abuse in antenatal population, 563
caesarean operations in Edinburgh during 18th century, 186
clinical, laparoscopic and microbiological findings in acute salpingitis, report on United Kingdom cohort, 407
clinico-pathological classification of perinatal deaths in Faroe Islands, 389
controlled assessment of IVF performance of British women of Indian origin compared with caucasians, 575
dilatation and curettage in patients with cervical polyps, a retrospective analysis, 415, 1018
European Collaborative Study, clinical and immunological characteristics of HIV 1-infected pregnant women, 869
first trimester fetal nuchal translucency: problems with screening general population, 381, 386, 1018
high risk pregnancy, randomised double blind placebo controlled trial of fish oil in, 95
incidence of cervical smears indicating dysplasia among Austrian women during 1980s, 541
limb reduction defects in South America, 393
low dose aspirin in pregnancy and early childhood development, follow up of collaborative low-dose aspirin study in pregnancy, 861
low incidence of primary conversion with toxoplasma among women in Sheffield, seroconversion study, 608
management of female genital mutilation, Northwick Park Hospital experience, 787
mortality after gynaecologic operations in Finland 1986–1991, 54
multicentre comparative study of 17 experts and an intelligent computer system for managing labour using the cardiotocogram, 688
multicentre randomised trial of amniotomy in spontaneous first labour at term, 267
obstetric outcome of Bangladeshi women in East London, 630
obstetricians' views on prenatal diagnosis and termination of pregnancy, 1980 compared with 1993, 228
pelvic extenteration, review of Gateshead experience 1874–1992, 172
phase II trial of paclitaxel in refractory ovarian cancer, update of Israeli experience, 342
population-based, controlled study of relation with cervical dysplasia, 589
pregnancy in sickle cell disease in UK, results of multicentre survey of effect of prophylactic blood transfusion on maternal and fetal outcome, 947
reproductive health in developing countries, a new initiative, 353, 1017
retrospective analysis of survival and natural history in patients with borderline ovarian tumours, 345
Scottish audit of hysteroscopic surgery for menorrhagia, complications and follow up, 249
screening for cervical neoplasia in Dundee and Angus, 137
sensitivity of ultrasound and serum alpha-fetoprotein in population-based antenatal screening for neural tube defects, South Australia 1986–1991, 370
Postcoital tests, European, opinions and practice, 621
Postpartum *see* Puerperium
Postprandial glycaemic response, delayed in pregnancy, delayed gastric emptying as factor in, 288

Pre-eclampsia
and angiotensinogen gene, 489
cell adhesion molecule VCAM-1 elevation in, indication of mechanism of leucocyte activation, 173
corticotrophin-releasing hormone and corticotrophin-releasing hormone binding protein in, 118
definition of, 264, 586
expression of thromboxane and prostacyclin synthase in intrauterine tissues after, 999
fatty acid pattern of esterified and free fatty acids in maternal sera, 530
HLA-G deletion polymorphism and, 707
hydralazine boluses for treatment, 83, 585
interleukin-6, tumour necrosis factor and soluble tumour necrosis factor receptors in women with, 20, 842
magnesium sulphate for, evidence so far, 263
mechanical stress eliminating effects of plasma on endothelial cells, 999
phenytoin prophylaxis in, 78
placental mRNA levels of vascular endothelial growth factor and receptor fit in, 998
placental nitric oxide synthase activity, 578, 711
proteinuria in, correlation with clinic, day unit and 24 hour ambulatory blood pressure, 1000
temporising management with and without HELLP syndrome, 111
see also Eclampsia; Hypertensive pregnancy
Pregnancy
amnifiltration, first trimester, technical, cytogenetic and pregnancy outcome of 104 consecutive procedures, 220
aneuploid, fetal and maternal human chorionic gonadotrophin concentration in, 561
complications
after infertility treatment, awareness and prevention, 520
homocystinuria and previous near-fatal postpartum cavernous sinus thrombosis, successful outcome, 751
intrahepatic cholestasis, severe fetal intracranial haemorrhage during treatment with cholestyramine, 169
Mallory–Weiss syndrome, and scleroderma, diagnosis and management, 498
pemphigus, 667
recurrent genital herpes infection, management of, postal survey of obstetric practice, 791
sickle cell disease, results of multicentre survey of effect of prophylactic blood transfusion on maternal and fetal outcome, 947
corticotrophin-releasing hormone and corticotrophin-releasing hormone binding protein in normal and pre-eclamptic, 118
cyclosporin A levels in, interpretation of following orthoptic liver transplantation, 570
delayed postprandial glycaemic response in, delayed gastric emptying as factor in, 288
diabetic *see* Diabetic pregnancy
drug abuse, anonymous testing for, 563
early failure, role of single progesterone measurement in diagnosis and prognosis of fetal viability, 364
ectopic, measurement of creatine kinase activity and diagnosis of, 233
extra-amniotic, prenatal diagnosis, 1013
fatty acid pattern of esterified and free fatty acids in maternal sera, 530
glucose homeostasis, in patient with hepatic glycogen synthetase deficiency, 931
high risk, randomised double blind placebo controlled trial of fish oil in, 95
HIV and, European Collaborative Study, clinical and immunological characteristics, 869
isthmic, located in previous caesarean section scar, follow up and outcome, 839
longitudinal study of blood pressure, distensibility of dorsal hand veins and ratio of stable metabolites of thromboxane A2 and prostacyclin in plasma, 900
low dose aspirin in, and early childhood development, follow up of collaborative low-dose aspirin study in pregnancy, 861
multiple *see* Multiple pregnancy
nausea and vomiting in, review of problem with particular regard to psychological and social aspects, 6, 671
non-molar, presentation and management of women with choriocarcinoma after, 346
outcome
Bangladeshi women in East London, 630
first trimester amnifiltration and, 220
following large loop excision of cervical transformation zone, 467
sickle cell disease in UK, results of multicentre survey of effect of prophylactic blood transfusion on, 947
peptide expression and function, basic fibroblast growth factor mRNA and, 577
placental nitric oxide synthase activity, 578, 711
prediction of fetal trisomies in first trimester, maternal serum hCG and fetal nuchal translucency thickness for, 127
prenatal diagnosis, obstetricians' views on termination of pregnancy and, 1980 compared with 1993, 228
prolonged, benefits of induced labour, 79
risk of cerebral thromboembolism, influence of diabetes, hypertension, migraine and previous thrombotic disease, 153
teenage, 754
triplet *see* Triplet pregnancy
twin *see* Twin pregnancy
urinary albumin excretion in, circadian variation, 107
uterine vascular malformation, following successful embolisation of, 166
venodilation during, and nitric oxide, 573
see also Fetus; Labour and delivery
Progesterone
A and B receptors, ratio in normal myometrium and uterine fibroids, 997
role of single measurement in diagnosis of early pregnancy failure and prognosis of fetal viability, 364
Progestogen, and prevention of functional ovarian cysts during pituitary desensitisation with GnRH agonists, 835
Prolactinomas, present day management, 178
Prostacyclin
expression in intrauterine tissues after pre-eclamptic pregnancies, 999
ratio of stable metabolites in plasma, blood pressure and distensibility of dorsal hand veins, longitudinal study in hypertensive and normal pregnancy, 900
Prostaglandin, and mifepristone, uterine rupture during therapeutic abortion in second trimester using, 332, 844
Protein kinase, subunit interactions monitored by a bacterial expression vector, 343
Puerperium
blues and depression following, home versus hospital deliveries, 701
cavernous sinus thrombosis, near-fatal, and successful pregnancy outcome in patient with homocystinuria, 751
cerebral palsy, perinatal care, 356
deep venous thrombosis in, duplex ultrasound screening for, 255
lactation suppression, bromocriptine and, 851
perinatal death, clinico-pathological classification in Faroe Islands, 389
postpartum haemolytic uraemic syndrome treated with plasma infusion, 69

Quercetin, inhibition of A2780 ovarian carcinoma cell line *vitro*, 999

Randomised trials, minimum requirements for publication, 849
Rectovaginal fistula, in HIV positive patient, repair with traction, 586
Royal College of Obstetricians and Gynaecologists Meetings, 73, 336, 424, 501

Sacrospinous ligament fixation, modification of technique, 669
Salmonellosis, unusual presentation of uterine malignancy, 259
Salpingitis, acute, clinical, laparoscopic and microbiological findings, report on United Kingdom cohort, 407
Sarcoma botyroides, resistant, radical hysterocolpectomy and colo-caecal vaginoplasty for treatment of, 346
Scleroderma, Mallory–Weiss syndrome complicating pregnancy, diagnosis and management, 498
Sex selection, ethics of, 503
Sexual abuse of children, gynaecologist's role in diagnosis and management, 82
Sexual functioning
healthy sex, 503
measurement in premenopausal women, 311
Sickle cell disease, pregnancy in UK, results of multicentre survey of effect of prophylactic blood transfusion on maternal and fetal outcome, 947
Soleogyn, paint-on preparation for local treatment of cervical ectopy, evaluation of, 492
Sonography *see* Ultrasound
Spermatogenesis, molecular regulation of, 74
Spermatozoa, human, laboratory assessment of, 75
Steroids, administration, 172
Stillbirth, communication following, room for improvement, 952
Surfactants, exogenous, current use in newborn, 679
Surgery
blood borne infection, reducing risk in practice, 439
brachial plexus injuries, obstetric antecedents, 813
gynaecological, implications of changing nature on training, 177
gynaecological oncology, modification of Cherney incision, 925
hysteroscopic, for menorrhagia, Scottish audit, complications and follow up, 249
laparoscopic *see* Laparoscopy
minimal access, relation to ovarian cancers, 726
mortality after gynaecologic operations in Finland 1986–1991, 54
stress incontinence, 81
Symphysis-fundal height measurement, single pre-delivery, as predictor of birthweight and multiple pregnancy, 525

Syntocinon, and Syntometrine, randomised double blind comparison in management of third stage of labour, 377
Syntometrine, and Syntocinon, randomised double blind comparison in management of third stage of labour, 377

Taxol, Hexalen (altretamine) salvage chemotherapy after, in women with platinum resistant ovarian cancer, 341
β Thalassaemia major, fertility in, report of 16 pregnancies, preconceptual evaluation and literature review, 625
Thromboxane
expression in intrauterine tissues after pre-eclamptic pregnancies, 999
ratio of stable metabolites in plasma, blood pressure and distensibility of dorsal hand veins, longitudinal study in hypertensive and normal pregnancy, 900
Thyrotrophin-releasing hormone, antenatal, effects on maternal blood pressure, 575
Tibolone, endometrial effects following changeover from conventional hormone replacement therapy, 1001
Tissue expander, use of as vaginal stent in vaginal reconstruction, 62, 1020
Toxic shock syndrome, fatal, following endometrial resection, 163
Toxoplasmosis, low incidence of primary infection in women in Sheffield, seroconversion study, 608
Training
evaluation of flexible senior registrar training in obstetrics and gynaecology, 461
hospital doctors, for the future, 354
implications of changing nature of gynaecological surgical practice on, 177
Tranexamic acid, and norethisterone, comparative study in treatment of ovulatory menorrhagia, 401
Transforming growth factor-α, expression in normal cervix and benign and malignant lesions of uterine cervix, 83
Transplants
liver, interpretation of cyclosporin A levels in pregnancy following, 570
renal, incidence of cervical intraepithelial neoplasia among women in relation to cyclosporine, 58
Triplet pregnancy, planned abdominal compared with planned vaginal birth in, 292, 937
Tumour necrosis factor, interleukin-6, and soluble tumour necrosis factor receptors in women with pre-eclampsia, 20, 842
Twin pregnancy
with single fetal death, expectant management of, 26, 842
twin-to-twin blood transfusion in dichorionic pregnancy without oligohydramnious-polyhydramnious sequence, 334

Ultrasound
Doppler
colour
comparison with pelvic arteriogram in assessment of patients with gestational trophoblastic disease, 720
flow imaging of fetal intracerebral arteries and umbilical artery in small for gestational age fetus, 174
pre-operative features of borderline ovarian tumours, 990
fetal middle cerebral artery flow velocity waveforms, longitudinal study preceding fetal death, 888
fetal umbilical artery waveforms
abnormal, elaboration of stem villous vessels in growth restricted pregnancies, 807
absence of end-diastolic flow, prospective randomised comparison of effect of continuous oxygen therapy and bedrest, 662
flow velocimetric assessments of placental maturity, 818
umbilical blood at cordocentesis, value of fetal arterial, cardiac and venous flows in predicting pH and blood gases in growth retarded fetuses, 963
duplex, screening for deep venous thrombosis in the puerperium, 255
endovaginal, in diagnosis of adenomyosis uteri, identifying the predictive characteristics, 471
fetal nuchal translucency, screening for fetal trisomy in first trimester of pregnancy, 758
in pregnancy, and childhood cancer, second report from Oxford Survey of Childhood Cancers, 831
sensitivity, and serum alpha-fetoprotein in population-based antenatal screening for neural tube defects, South Australia 1986–1991, 370
three dimensional, abnormalities of fetal face in surface and volume rendering mode, 302
vaginal studies of bladder neck mobility, 47

Umbilical cord, prolapse, mortality and morbidity, 826
Urinary tract
iatrogenic ureteric obstruction, synchronous combined cystoscopic-vaginal correction of, 168
midstream urine microscopy and culture results, interpretation in women presenting acutely to labour ward, 507
noncontiguous intra-epithelial neoplasia of, progression to invasive carcinoma, 162
urinary albumin excretion in pregnancy, circadian variation of, 107
see also Bladder; Incontinence; Kidney
Urokinase receptors, characterisation on human granulosa cells, 576
Uterus
adenomyosis uteri, endovaginal ultrasonography in diagnosis of, identifying predictive characteristics, 471
cancer, focal salmonellosis, unusual presentation, 259
expression of thromboxane and prostacyclin synthase in intrauterine tissues after pre-eclamptic tissues, 999
fibroids, ratio of progesterone receptors A and B in normal myometrium and, 997
myometrium, ratio of progesterone receptors A and B in uterine fibroids and, 997
rupture
during therapeutic abortion in second trimester using mifepristone and prostaglandin, 332, 844
recurrent spontaneous, in nulliparous young woman, 420
unicornuate, fertility in, 1007
uterine zonal anatomy, magnetic resonance imaging of changes during conception cycle, 330
uterovaginal prolapse, failure of laparoscopic uterine suspension to provide lasting cure for, 512
vascular malformation, pregnancy following successful embolisation, 166
vasopressin and oxytocin, receptor-mediated effects in nonpregnant women, 907
ventrosuspension, endoscopic, symptoms relieved by, 575
see also Cervix; Fetus; Hysterectomy

Vagina
aplasia, laparoscopic procedure for treatment of, 565
bacterial vaginosis, 92
amine test in diagnosis of, 160
cancer, urinary beta core fragment of human chorionic gonadotrophin and prognostic significance, 345
primary lymphoma of, as unusual cause of postmenopausal bleeding and incontinence of urine, 164, 672
reconstruction, use of tissue expander as vaginal stent in, 62, 1020
trauma occurring while sliding down a water chute, 933
ultrasound studies
of bladder neck mobility, 47
endovaginal ultrasonography, in diagnosis of adenomyosis uteri, identifying predictive characteristics, 471
uterovaginal prolapse, failure of laparoscopic uterine suspension to provide lasting cure for, 512
Vaginoplasty, colo-caecal, and hysterocolpectomy, for treatment of resistant sarcoma botyroides, 346
Vaginosis, and pelvic infection, 424
Vascular endothelial growth factor
expression of mRNA encoding for, in human ovarian malignancies, 574
placental mRNA levels of, and receptor fit in pre-eclampsia, 998
receptor and TP53 in ovarian cancer, analysis of, 340
Vasopressin, receptor-mediated uterine effects in nonpregnant women, 907
VCAM-1, selective elevation in serum in pre-eclampsia as indication of mechanism of leucocyte activation, 173
Vestibuloplasty, compared with perineoplasty, for severe vulvar vestibulitis, 652
Vulva
benign and premalignant disease, 359
biopsy
non-neoplastic, audit of, 780
outpatient, note of caution, 487, 1019
cancer
intraepithelial neoplasia, natural history, 764
urinary beta core fragment of human chorionic gonadotrophin and prognostic significance, 345
chronically symptomatic, aetiology and management, 773
vestibulitis, perineoplasty compared with vestibuloplasty, 652
Vulvitis, and human papillomavirus, new disease or unfortunate mistake, 584